



CATALOGUE
2025

altlights.com

ALT

ENLIGHTENING SPACE

At ALT, we believe lighting is more than just illumination—it's an art form. Whether you're looking to create a cozy ambiance at home, a vibrant environment for your workspace, or an awe-inspiring outdoor display, our products are designed to transform any space to match your vision.

Diverse Product Range

From sleek pendant lights to smart LED systems, outdoor floodlights to decorative fixtures, ALT offers an extensive portfolio of lighting solutions. No matter your style or functional needs, we have the perfect product for you.

Customizable Specifications

ALT empowers you to bring your vision to life. Our customizable options allow you to tailor light intensity, color temperature, and design specifications to suit your unique requirements, ensuring your space reflects your personality and purpose.

Cutting-Edge Technology

ALT redefines lighting with seamless connectivity through Zigbee, Bluetooth, and Wi-Fi, integrating effortlessly into your smart ecosystem for enhanced control, comfort, and energy efficiency. Our advanced tunable solutions - DALI, Analog, and Phase Cut deliver unmatched precision, allowing you to tailor lighting to every mood and moment, from dynamic and vibrant to soft and serene.

With ALT, you're not just investing in light—you're investing in quality, innovation, and a brand dedicated to exceeding expectations. Our commitment to excellence ensures every product is crafted to perfection, bringing a seamless blend of aesthetics and performance to your space.

Transform your space. Elevate your experience. ALT.

■ LIGHT SOURCE CO-BRANDS

bridgelux

CREE ⇄

OSRAM LED

A SANAN

SEOUL

TOYONIA

■ POWER SUPPLY CO-BRANDS

EAGLERISE

FULHAM

ALT[®]
ENLIGHTENING SPACES

■ INTELLIGENT LIGHT SOURCE CO-BRANDS

TYANSHINE | TOYONIA

■ TUNNING & DALI POWER SUPPLY CO-BRANDS

FULHAM

TIGIDIGITAL
Focus On Smart LED Driver

■ REFLECTOR & OPTICS CO-BRANDS

DARKOO[®]
Optics

GR OPTICS[®]
Anglo delatronics s.a. sp.

Optics
Shinland



ENLIGHTENING SPACES
CATALOGUE-2025


INDEX

■ MAGNUM MAGNETIC 48V SERIES

PAGE 01-23



25MM SERIES




SCALE SERIES



SLIM 10MM SERIES



SOFT TRACK SERIES



BRAIDED SERIES

■ SMD DOWNLIGHT

PAGE 24-26



NEXIA



ENTICE



FLAMES

■ SMD SURFACE

PAGE 27-31



ERGO



ECLIPSE

■ COB DOWNLIGHT

PAGE 32-56



HIVE



GLOSTER



POLO LINE



DART



BIGSHOT

■ TRACK LIGHT

PAGE 57-60



CUBA



PEEK



VERTIGO

■ COB SURFACE

PAGE 61-68




MARBLE



BRISK



CACHE



SHIMMER II




GLIMMER

INDEX

■ TILT SURFACE

PAGE 69-71



SHEEN



JAZZ




GRILLE



MAGNUM
WALL SPOT

■ RIPPLE SERIES

PAGE 72-74



12V SERIES



24V SERIES



WATERPROOF SERIES

■ SMPS

PAGE 75-78



PLATO



METTLE



CABINET SERIES




WATERPROOF

■ PROFILE SERIES

PAGE 79-84




RECESSED



SURFACE



TRIMLESS




CABINET



FLOOR

■ LINEO & PENDANT HANGINGS

PAGE 85-88



LINEO



SKYLINE



HALO



DONUT

■ OUTDOOR LIGHTS

PAGE 89-106



WALL LIGHT



WALL LIGHT



BOLLARD



BOLLARD



FOOT LIGHT




BURIAL LIGHT

MAGNUM

25mm Magnetic Series 48V

PRODUCT CODE	ALT1001
BODY COLOUR	BLACK
DIMENSION	60.2 x H45.38
APPLICATION	CONCEAL MAGNETIC TRACK
STANDARD LENGTH	1MTR / 2MTR / 3MTR



MAGNUM ACCESSORIES



48V DRIVER / 100W
DIMENSION :
100W: 240*43MM



48V DRIVER / 200W
DIMENSION :
200W: 300*43MM

MAGNUM ACCESSORIES




ALT1002
DIMENSION: 80*80MM
RECESSED 90° CEILING TO WALL



ALT1003
DIMENSION: 80*80MM
RECESSED 90° CORNER



ALT1004
DIMENSION: 80*80MM
RECESSED 90° CORNER



ALT1005
DIMENSION: 82*94MM
RECESSED T CONNECTOR


MAGNUM

25mm Magnetic Series 48V

PRODUCT CODE	ALT1007
BODY COLOUR	BLACK
DIMENSION	22*H50mm
APPLICATION	SURFACE MAGNETIC TRACK
STANDARD LENGTH	1MTR / 2MTR / 3MTR



MAGNUM ACCESSORIES



MAGNUM

25mm Modules



LINEAR 10W
ALT1014

DIMENSION: L305*W22*H43MM
CCT: WW / NW / TUNNABLE
LUMENS: 900LM
BEAM ANGLE: 120°



LINEAR 15W
ALT1033

DIMENSION: L455*W22*H43MM
CCT: WW / NW / TUNNABLE
LUMENS: 1350LM
BEAM ANGLE: 120°



LINEAR 20W
ALT1015

DIMENSION: L605*W22*H43MM
CCT: WW / NW / TUNNABLE
LUMENS: 1800LM
BEAM ANGLE: 120°



LINEAR 30W
ALT1016

DIMENSION: L900*W22*H43MM
CCT: WW / NW / TUNNABLE
LUMENS: 2700LM
BEAM ANGLE: 120°



LINEAR 40W
ALT1034

DIMENSION: L1200*W22*H43MM
CCT: WW / NW / TUNNABLE
LUMENS: 3600LM
BEAM ANGLE: 120°



LINEAR 36W
ALT1021

DIMENSION: L320*W600*H45MM
CCT: WW / NW / TUNNABLE
LUMENS: 3240LM
BEAM ANGLE: 120°

MAGNUM

25mm Modules



LINEAR COB 6W
ALT1017

DIMENSION : L112*W22*H43MM
CCT : WW / NW / TUNNABLE
LUMENS : 600LM
BEAM ANGLE : 24°



LINEAR COB 12W
ALT1018

DIMENSION : L225*W22*H43MM
CCT : WW / NW / TUNNABLE
LUMENS : 1200LM
BEAM ANGLE : 24°



LINEAR COB 18W
ALT1035

DIMENSION : L328*W22*H43MM
CCT : WW / NW / TUNNABLE
LUMENS : 1800LM
BEAM ANGLE : 24°



LINEAR COB 24W
ALT1036

DIMENSION : L436*W22*H45MM
CCT : WW / NW / TUNNABLE
LUMENS : 2400LM
BEAM ANGLE : 24°



WALL WASHER 6W
ALT1019

DIMENSION : L115*W22*H103MM
CCT : WW / NW / TUNNABLE
LUMENS : 600LM
BEAM ANGLE : 24°



WALL WASHER 12W
ALT1020

DIMENSION : L223*W22*H103MM
CCT : WW / NW / TUNNABLE
LUMENS : 1200LM
BEAM ANGLE : 24°

MAGNUM

25mm Modules



TRACK 10W
ALT1022

DIMENSION : D45*H100MM
CCT : WW / NW / TUNNABLE
LUMENS : 1000LM
BEAM ANGLE : 24°



TRACK 20W
ALT1023

DIMENSION : D65*H140MM
CCT : WW / NW / TUNNABLE
LUMENS : 2000LM
BEAM ANGLE : 24°



TUBE 6W
ALT1032

DIMENSION : L300*26mm
CCT : WW / NW
Lumens : 480lm
Beam Angle : 270°



TUBE 14W
ALT1033

DIMENSION : L600*26mm
CCT : WW / NW
Lumens : 1350lm
Beam Angle : 270°

MAGNUM

Magnetic 8W/15W



ALT1037
Watt : 8W
Dimension : 45 x H160mm
CCT : WW / NW
LUMENS : 640LM
BEAM ANGLE : 24°
BODY COLOR : MATT BLACK/GUN BLACK



ALT1037
Watt : 8W
Dimension : 45 x H160mm
CCT : WW / NW
LUMENS : 640LM
BEAM ANGLE : 24°
BODY COLOR : ROSE GOLD /CHROME /BRASS



ALT1039
Watt : 8W
Dimension : 45 x H160mm
CCT : WW / NW
LUMENS : 640LM
BEAM ANGLE : 24°
BODY COLOR : MATT BLACK/GUN BLACK



ALT1039
Watt : 8W
Dimension : 45 x H160mm
CCT : WW / NW
LUMENS : 640LM
BEAM ANGLE : 24°
BODY COLOR : ROSE GOLD /CHROME /BRASS



ALT1040
Watt : 15W
Dimension : 45 x H180mm
CCT : WW / NW
LUMENS : 1200LM
BEAM ANGLE : 24°
BODY COLOR : MATT BLACK/GUN BLACK



ALT1040
Watt : 15W
Dimension : 45 x H180mm
CCT : WW / NW
LUMENS : 1200LM
BEAM ANGLE : 24°
BODY COLOR : ROSE GOLD /CHROME /BRASS

MAGNUM SCALE 6MM Magnetic Series 48v

PRODUCT CODE	ALT1101
BODY COLOUR	BLACK/WHITE
DIMENSION	D26*H6mm
APPLICATION	SURFACE MAGNETIC TRACK
STANDARD LENGTH	1MTR / 2MTR / 3MTR




MAGNUM ACCESSORIES



ALT1107
48V DRIVER/100W
DIMENSION: 100W:210*26MM
COLOR: BLACK/WHITE



ALT1108
48V DRIVER/200W
DIMENSION: 200W:230*26MM
COLOR: BLACK/WHITE



ALT1109
DRIVER COVER
DIMENSION: 100*26MM
COLOR: BLACK/WHITE




ALT1102
SURFACE TRACK STRAIGHT
CONNECTOR
DIMENSION: 46*26MM
COLOR: BLACK/WHITE



ALT1103
SURFACE TRACK L
CONNECTOR
DIMENSION: 36*36MM
COLOR: BLACK/WHITE



ALT1104
SURFACE TRACK T
CONNECTOR
DIMENSION: 46*46MM
COLOR: BLACK/WHITE



ALT1105
SURFACE TRACK 4 WAY
CONNECTOR
DIMENSION: 46*46MM
COLOR: BLACK/WHITE



ALT1106
SURFACE WALL TO CEILING
CONNECTOR
DIMENSION: 26*26MM
COLOR: BLACK/WHITE

MAGNUM

Scale Modules



SCALE LINEAR 10W
ALT1110
COLOR : BLACK/WHITE
DIMENSION : L230*W26*H24MM
CCT : WW / NW
LUMENS : 1300LM
BEAM ANGLE : 150°



SCALE LINEAR 20W
ALT1111
COLOR : BLACK/WHITE
DIMENSION : L615*W26*H24MM
CCT : WW / NW
LUMENS : 1800LM
BEAM ANGLE : 150°



SCALE LINEAR COB 6W
ALT1112
COLOR : BLACK/WHITE
DIMENSION : L122*W26*H24MM
CCT : WW / NW
LUMENS : 500LM
BEAM ANGLE : 24°



SCALE LINEAR COB 12W
ALT1113
COLOR : BLACK/WHITE
DIMENSION : L230*W26*H24MM
CCT : WW / NW
LUMENS : 1100LM
BEAM ANGLE : 24°



SCALE LINEAR COB 18W
ALT1114
COLOR : BLACK/WHITE
DIMENSION : L338*W26*H24MM
CCT : WW / NW
LUMENS : 1600LM
BEAM ANGLE : 24°



SCALE WALL WASHER 6W
ALT1115
COLOR : BLACK/WHITE
DIMENSION : L122*W26*H80MM
CCT : WW / NW
LUMENS : 500LM
BEAM ANGLE : 24°

MAGNUM

Scale Modules



SCALE WALL WASHER 12W
ALT1116
BLACK/WHITE
DIMENSION : L230*W26*H80MM
CCT : WW / NW
LUMENS : 1100LM
BEAM ANGLE : 24°



SCALE TRACK LIGHT 10W
ALT1117
BLACK/WHITE
DIMENSION : D44*H110MM
CCT : WW / NW
LUMENS : 1000LM
BEAM ANGLE : 24°



SCALE TRACK LIGHT 2 x 10W
ALT1118
BLACK/WHITE
DIMENSION : D44*H110MM
CCT : WW / NW
LUMENS : 1900LM
BEAM ANGLE : 24°



SCALE SPOT 6W
ALT1119
BLACK/WHITE
DIMENSION : L122*W26*H24MM
CCT : WW / NW
LUMENS : 500LM
BEAM ANGLE : 24°



SCALE SILICON TUBE 48W
ALT1120
WHITE
DIMENSION : 3000MM
CCT : WW / NW
LUMENS : 3000LM
BEAM ANGLE : 350°

MAGNUM SLIM 10MM Magnetic Series 48v


PRODUCT CODE	ALT1076
BODY COLOUR	BLACK
DIMENSION	D50MM x H40MM
APPLICATION	CONCEAL MAGNETIC TRACK
STANDARD LENGTH	1MTR / 2MTR




MAGNUM ACCESSORIES



ALT1086
CONCEAL JOINTERS
DIMENSION: 80*10MM
COLOR: SS



ALT1079
CONCEAL CONNECTOR CEILING
TO WALL 90° DIMENSION: 60*60MM
COLOUR: BLACK



ALT1080
CONCEAL CONNECTOR 90°
DIMENSION: 60*60MM
COLOUR: BLACK



ALT1076A
END CAPS FOR CONCEAL TRACK
COLOR: BLACK



ALT1076B60 CURVE CONCEAL
DIMENSION: 600MM
CURVE TRACK 600MM
COLOUR: BLACK




ALT1076B120 CURVE CONCEAL
DIMENSION: 1200MM
CURVE TRACK 1200MM
COLOUR: BLACK

MAGNUM SLIM 10MM Magnetic Series 48v

PRODUCT CODE ALT1077
BODY COLOUR BLACK
DIMENSION D17MM x H26 MM
APPLICATION SURFACE TRACK
STANDARD LENGTH 1MTR / 2MTR



MAGNUM ACCESSORIES



MAGNUM SLIM 10MM Magnetic Series 48v

PRODUCT CODE	ALT1078
BODY COLOUR	BLACK
DIMENSION	D29MM
APPLICATION	SURFACE CIRCULAR TRACK
STANDARD LENGTH	1MTR / 2MTR / 3MTR



MAGNUM SLIM 10MM Magnetic Series 48v

PRODUCT CODE	ALT1131
BODY COLOUR	BRASS
DIMENSION	W17 x H26
APPLICATION	SURFACE MAGNETIC TRACK
STANDARD LENGTH	1.5MTR



MAGNUM SLIM ACCESSORIES



ALT 1078A
END CAPS
FOR CIRCULAR ROUND CAPS
COLOR: BLACK



ALT 1083
LIVE END CONNECTOR
DIMENSIONS: 80*10.5MM
COLOUR: BLACK



ALT 1132
SURFACE CONNECTOR 90°
DIMENSIONS: 40*40mm
COLOUR: BRASS



ALT 1133
SURFACE CONNECTOR CEILING
TO WALL 90°
DIMENSIONS: 40*40mm
COLOUR: BRASS



ALT 1085
CORNER CONNECTOR
DIMENSIONS: -300*10.5MM
COLOUR: BLACK



ALT1088
SUSPENSION KIT
COLOUR: BLACK



ALT 1084
TRACK CONNECTOR
DIMENSIONS: 120*10.5MM
COLOUR: BLACK



ALT 1138
48v 100watts
DIMENSIONS: 250*70*23MM




ALT 1140
48v 200watts
DIMENSIONS: 250*70*23MM



ALT 1139
SURFACE DRIVER
48V 150 WATTS
DIMENSIONS: 250*70*23MM


MAGNUM

Slim 10mm Modules



SLIM LINEAR 10W
ALT1089

DIMENSION : L303*W10.5*H38MM
CCT : WW / NW
LUMENS : 500LM
BEAM ANGLE : 120°



SLIM LINEAR 12W
ALT1090

DIMENSION : L480*W10.5*H38MM
CCT : WW / NW
LUMENS : 800LM
BEAM ANGLE : 120°



SLIM LINEAR 16W
ALT1091

DIMENSION : L630*W10.5*H38MM
CCT : WW / NW
LUMENS : 1200LM
BEAM ANGLE : 120°



SLIM SPOT 9W
ALT1099

DIMENSION : 60*57MM
CCT : WW / NW
LUMENS : 900LM
BEAM ANGLE : 24°



SLIM GLOBE 5W
ALT1100

DIMENSION : 100MM
CCT : WW / NW
BEAM ANGLE : 200°



SLIM LINEAR COB 6W
ALT1092

DIMENSION : L145*W10.5*H38MM
CCT : WW / NW
LUMENS : 500LM
BEAM ANGLE : 30°

MAGNUM

Slim 10mm Modules



SLIM LINEAR COB 12W
ALT1093

DIMENSION : L226*W10.5*H38MM
CCT : WW / NW
LUMENS : 1000LM
BEAM ANGLE : 30°



SLIM WALL WASHER 6W
ALT1094

DIMENSION : L145*W10.5*H65MM
CCT : WW / NW
LUMENS : 500LM
BEAM ANGLE : 30°



SLIM WALL WASHER 12W
ALT1095

DIMENSION : L226*W10.5*H65MM
CCT : WW / NW
LUMENS : 1000LM
BEAM ANGLE : 30°



SLIM TRACK LIGHT 3W
ALT1096

DIMENSION : D25*H80MM
CCT : WW / NW
LUMENS : 250LM
BEAM ANGLE : 24°



SLIM TRACK LIGHT 10W
ALT1097

DIMENSION : D45*H100MM
CCT : WW / NW
LUMENS : 700LM
BEAM ANGLE : 24°



SLIM TRACK LIGHT 18W
ALT1098

DIMENSION : D60*H120MM
CCT : WW / NW
LUMENS : 1400LM
BEAM ANGLE : 24°

MAGNUM

Slim 10mm Modules



SLIM HANGING 8W
ALT1143
BRASS
DIMENSION : D76*28MM
CCT : WW / NW
LUMENS : 900LM
BEAM ANGLE : 24°



SLIM SPOT 10W
ALT1141
BRASS
DIMENSION : D60*H57MM
CCT : WW / NW
LUMENS : 900LM
BEAM ANGLE : 24°



SLIM COB WALL WASHER 12W
ALT1142
BRASS
DIMENSION : D60*H72MM
CCT : WW / NW
LUMENS : 900LM
BEAM ANGLE : 24°



SLIM TRACK 10W
ALT1144
BRASS
DIMENSION : D45*H100MM
CCT : WW / NW
LUMENS : 800LM
BEAM ANGLE : 24°

NEW ARRIVALS



SLIM SILICON 1M
ALT1145
COLOR : WHITE
DIMENSION : 10MM*1MTR
CCT : WW/NW
WATT : 10WATTS
LUMENS : 1000LM
BEAM ANGLE : 120°




SLIM SILICON 2M
ALT1146
COLOR : WHITE
DIMENSION : 10MM*2MTR
CCT : WW/NW
WATT : 20WATTS
LUMENS : 2000LM
BEAM ANGLE : 120°



SLIM SILICON 3M
ALT1147
COLOR : WHITE
DIMENSION : 10MM*3MTR
CCT : WW/NW
WATT : 30WATTS
LUMENS : 3000LM
BEAM ANGLE : 120°

MAGNUM SOFT TRACK Magnetic Series 48v

PRODUCT CODE ALT1201
BODY COLOUR BLACK
DIMENSION D3.5MM x H15MM
STANDARD LENGTH 5MTR



MAGNUM ACCESSORIES



LIVE END CONNECTOR
ALT1202
DIMENSION: 42*21X13MM
COLOR: BLACK



CORNER CONNECTOR
ALT1203
DIMENSION: 184*21X19 MM
COLOR: BLACK




TRACK CONNECTOR
ALT1204
DIMENSION: 42*21X13 MM
COLOR: BLACK



END CONNECTOR
ALT1205
DIMENSION: 18*15*6.5 MM
COLOR: BLACK



MOUNTING BASE
ALT1206
DIMENSION: 26*65 MM
COLOR: BLACK



POWER MOUNTING BASE
ALT1207
DIMENSION: 60*60 MM
COLOR: BLACK



SUSPENDED MOUNTING BASE
ALT1208
DIMENSION: 26*340 MM
COLOR: BLACK



DRIVER BOX
ALT1209
 48V DRIVER 100W
DIMENSION: 275*58*50 MM
COLOR: BLACK

MAGNUM

Soft Track Modules



SOFT TRACK LIGHT 10W
ALT1211

DIMENSION : D45*H100MM
CCT : WW / NW
LUMENS : 800LM
BEAM ANGLE : 24°



SOFT LINEAR 5W
ALT1212

DIMENSION : L142*W35*H85MM
CCT : NW
LUMENS : 400LM
BEAM ANGLE : 100°



SOFT LINEAR 10W
ALT1213

DIMENSION : L275*W35*H85MM
CCT : NW
LUMENS : 800LM
BEAM ANGLE : 100°



SOFT LINEAR COB 5W
ALT1214

DIMENSION : L142*W35*H85MM
CCT : WW / NW
LUMENS : 450LM
BEAM ANGLE : 24°



SOFT LINEAR COB 10W
ALT1215

DIMENSION : L275*W35*H85MM
CCT : WW / NW
LUMENS : 900LM
BEAM ANGLE : 24°



SOFT LINEAR ADJUSTABLE COB 5W
ALT1216

DIMENSION : L142*W35*H117MM
CCT : WW / NW
LUMENS : 450LM
BEAM ANGLE : 24°

MAGNUM

Soft Track Modules



SOFT LINEAR ADJUSTABLE COB 10W
ALT1217

DIMENSION : L275*W35*H117MM
CCT : WW / NW
LUMENS : 900LM
BEAM ANGLE : 24°



SOFT GRILLE 24W
ALT1218

DIMENSION : L276*W118*H70MM
CCT : WW / NW
LUMENS : 2400LM
BEAM ANGLE : 60°



SOFT GRILLE ADJUSTABLE 24W
ALT1219

DIMENSION : L276*W118*H102MM
CCT : WW / NW
LUMENS : 2400LM
BEAM ANGLE : 60°



SOFT GRILLE 12W x 2
ALT1220

DIMENSION : L506*W118*H102MM
CCT : NW
LUMENS : 2400LM
BEAM ANGLE : 60°



SOFT SMD 20W
ALT1221

DIMENSION : D138*H87MM
CCT : NW
LUMENS : 1600LM
BEAM ANGLE : 100°



SOFT GLOBE 5W
ALT1222

DIMENSION : D100*H156MM
CCT : WW / NW
LUMENS : 300LM
BEAM ANGLE : 100°



SOFT GLOBE 5W
ALT1223

DIMENSION : D80*H140MM
CCT : WW / NW
LUMENS : 1600LM
BEAM ANGLE : 200°

MAGNUM BRAIDED

Magnetic Series 48v

PRODUCT CODE ALT1251
BODY COLOUR TERRA RED
APPLICATION SUSPENDED
STANDARD LENGTH 50M

***Minimum order of 5M & above**



BRAIDED DRIVERS



ALT 1252
SURFACE DRIVER 100W 48V
DIMENSION : 200MM
COLOUR: BLACK
WATTAGE: 100W



ALT 1253
RECESSED DRIVER 100W 48V
DIMENSION : 110*H56MM
COLOUR: BLACK
WATTAGE: 100W



ALT 1254
SURFACE DRIVER 100W
DIMENSION : 200MM
COLOUR: BLACK
WATTAGE: 100W



ALT 1255
SURFACE DRIVER 100W
DIMENSION : 200MM
COLOUR: BLACK
WATTAGE: 100W

MOUNTING ACCESSORIES



ALT 1256
FLOOR MOUNTED
DIMENSIONS: 60*H150MM
COLOUR: BLACK



ALT 1257
WALL MOUNTED
DIMENSIONS: 60*H45MM
COLOUR: BLACK



ALT 1258
CEILING MOUNTED
DIMENSIONS: 55*33*10MM
COLOUR: BLACK



ALT 1259
CEILING MOUNTED
DIMENSIONS: 60*H45MM
COLOUR: BLACK



ALT 1260
END CAP
COLOUR: BLACK



ALT 1261
CONNECTOR
COLOUR: BLACK



ALT 1262
FASTENER
COLOUR: BLACK



ALT 1263
CONNECTOR
COLOUR: BLACK



ALT 1264
POLE
DIMENSIONS: 35*1600MM
(HEIGHT-1500MM)
COLOUR: BLACK



ALT 1265
FASTENER WITH WIRE
DIMENSIONS: L70CM
COLOUR: BLACK

MAGNUM

Braided Modules



BRAIDED SEMISPHERE 12W
ALT1266
BODY COLOR : TERRA RED
DIMENSION : D20*H130MM
CCT : NW
LUMENS : 960LM
BEAM ANGLE : 110°



BRAIDED SEMISPHERE COB 12W
ALT1267
BODY COLOR : TERRA RED
DIMENSION : 100MM
CCT : NW
LUMENS : 1080LM
BEAM ANGLE : 24°



BRAIDED LINEAR COB 16W
ALT1268
BODY COLOR : TERRA RED
DIMENSION : L545*W34*H65MM
CCT : NW
LUMENS : 1600LM
BEAM ANGLE : 24°



BRAIDED LINEAR COB 30W
ALT1269
BODY COLOR : TERRA RED
DIMENSION : L1075*W34*H65MM
CCT : NW
LUMENS : 3000LM
BEAM ANGLE : 24°



BRAIDED LINEAR 36W
ALT1270
BODY COLOR : TERRA RED
DIMENSION : L2000*W34*H44MM
CCT : NW
LUMENS : 2880LM
BEAM ANGLE : 24°



BRAIDED SPHERE 12W
ALT1271
BODY COLOR : TERRA RED
DIMENSION : 200MM
CCT : NW
LUMENS : 1200LM

MAGNUM

Braided Modules



BRAIDED TUBE 24W
ALT1272
BODY COLOR : TERRA RED
DIMENSION : L34*W17*H1500MM
CCT : NW
LUMENS : 1920LM
BEAM ANGLE : 160°



BRAIDED DONUT 24W
ALT1273
BODY COLOR : TERRA RED
DIMENSION : 600MM
CCT : NW
LUMENS : 1800LM
BEAM ANGLE : 110°



BRAIDED GLOBE 8W
ALT1274
BODY COLOR : TERRA RED
DIMENSION : 200MM
CCT : NW
LUMENS : 400LM



BRAIDED GRILLE 10W
ALT1275
BODY COLOR : TERRA RED
DIMENSION : L460*W110*H32MM
CCT : NW
LUMENS : 1000LM
BEAM ANGLE : 24°



BRAIDED CAPSULE COB 10W
ALT1276
BODY COLOR : TERRA RED
DIMENSION : D100*H120MM
CCT : NW
LUMENS : 600LM
BEAM ANGLE : 24°

NEXIA

SMD Downlight

WHITE / BLACK
8W | 15W | 24W
35W | 48W



TUNABLE
COLOR RF 24G

NEXIA 8W
ALTO082
COLOR : BLACK / WHITE
DIMENSION : D109*H30MM
CUTOUT : D100MM
CCT : WH/NW/WW/5K/TUNNABLE
LUMENS : 800LM
BEAM ANGLE : 110°



TUNABLE
COLOR RF 24G

NEXIA 15W
ALTO083
COLOR : BLACK / WHITE
DIMENSION : D149*H30MM
CUTOUT : D140MM
CCT : WH/NW/WW/5K/TUNNABLE
LUMENS : 1500LM
BEAM ANGLE : 110°



TUNABLE
COLOR RF 24G

NEXIA 24W
ALTO084
COLOR : BLACK / WHITE
DIMENSION : D169*H30MM
CUTOUT : D160MM
CCT : WH/NW/WW/5K/TUNNABLE
LUMENS : 2400LM
BEAM ANGLE : 110°



NEXIA 35W
ALTO085
COLOR : BLACK / WHITE
DIMENSION : D215*H49MM
CUTOUT : D205MM
CCT : WH/NW/WW
LUMENS : 4025LM
BEAM ANGLE : 110°



NEXIA 48W
ALTO086
COLOR : BLACK / WHITE
DIMENSION : D295*H52MM
CUTOUT : D295MM
CCT : WH/NW/WW
LUMENS : 5500LM
BEAM ANGLE : 110°

ENTICE SMD Downlight



WHITE / BLACK
7W | 12W | 18W | 24W



ENTICE 7W
ALTO067
COLOR : BLACK / WHITE
DIMENSION : D82.5*H46MM
CUTOUT : D75MM
CCT : WH/NW/WW/5K/TUNNABLE
LUMENS : 700LM
BEAM ANGLE : 110°



ENTICE 12W
ALTO068
COLOR : BLACK / WHITE
DIMENSION : D97.5*H50.5MM
CUTOUT : D90MM
CCT : WH/NW/WW/5K/TUNNABLE
LUMENS : 1200LM
BEAM ANGLE : 110°




ENTICE 18W
ALTO069
COLOR : BLACK / WHITE
DIMENSION : D124*H60MM
CUTOUT : D115MM
CCT : WH/NW/WW/5K/TUNNABLE
LUMENS : 1800LM
BEAM ANGLE : 110°




ENTICE 24W
ALTO070
COLOR : BLACK / WHITE
DIMENSION : D156*H70.5MM
CUTOUT : D148MM
CCT : WH/NW/WW/5K/TUNNABLE
LUMENS : 2400LM
BEAM ANGLE : 110°

VELORA

SMD Downlight



WHITE / BLACK
12W | 18W | 24W | 32W



VELORA 12W
ALTO087
COLOR : BLACK / WHITE
DIMENSION : D115*H24MM
CUTOUT : D105MM
CCT : WH/NW/WW
LUMENS : 1200LM
BEAM ANGLE : 110°

VELORA 18W
ALTO088
COLOR : BLACK / WHITE
DIMENSION : D135*H24MM
CUTOUT : D125MM
CCT : WH/NW/WW
LUMENS : 1800LM
BEAM ANGLE : 110°



VELORA 24W
ALTO089
COLOR : BLACK / WHITE
DIMENSION : D165*H24MM
CUTOUT : D155MM
CCT : WH/NW/WW
LUMENS : 2400LM
BEAM ANGLE : 110°

VELORA 32W
ALTO090
COLOR : BLACK / WHITE
DIMENSION : D215*H24MM
CUTOUT : D205MM
CCT : WH/NW/WW
LUMENS : 3200LM
BEAM ANGLE : 110°

FLAMES SMD Downlight



FLAMES 8W
ALT1071
COLOR : GUN BLACK / WHITE
DIMENSION : D65*H47MM
CUTOUT : D60MM
CCT : WH/NW/WW/TUNNABLE
LUMENS : 800LM
BEAM ANGLE : 90°



FLAMES 15W
ALT1072
COLOR : GUN BLACK / WHITE
DIMENSION : D80*H58MM
CUTOUT : D75MM
CCT : WH/NW/WW/TUNNABLE
LUMENS : 1500LM
BEAM ANGLE : 90°



FLAMES 20W
ALT1073
COLOR : GUN BLACK / WHITE
DIMENSION : D92*H65MM
CUTOUT : D85MM
CCT : WH/NW/WW/TUNNABLE
LUMENS : 2000LM
BEAM ANGLE : 90°

VOLT SMD Downlight



VOLT 15W
ALT0071
DIMENSION : D120*H63MM
CUTOUT : D110MM
CCT : WH/NW
LUMENS : 1200LM
BEAM ANGLE : 110°
COLOR : WHITE/BLACK/WHITE+BLACK



VOLT 20W
ALT0072
DIMENSION : D155*H67MM
CUTOUT : D145MM
CCT : WH/NW
LUMENS : 1600LM
BEAM ANGLE : 110°
COLOR : WHITE/BLACK/WHITE+BLACK

HALO SMD Downlight



HALO 12W
ALT0073
COLOR : BLACK+BROWN / WHITE+BROWN
DIMENSION : D84*H71MM
CUTOUT : D75MM
CCT : NW / WW
LUMENS : 1200LM
BEAM ANGLE : 90°



HALO 18W
ALT0074
COLOR : BLACK+BROWN / WHITE+BROWN
DIMENSION : D104*H76MM
CUTOUT : D95MM
CCT : NW / WW
LUMENS : 1800LM
BEAM ANGLE : 90°

LUNAR SMD Surface



LUNAR 15W
ALT0112
COLOR : BROWN / GREY
DIMENSION : D120*H45MM
CCT : WH / NW / WW
LUMENS : 1500LM
BEAM ANGLE : 110°



LUNAR 20W
ALT0113
COLOR : BROWN / GREY
DIMENSION : D120*H45MM
CCT : WH / NW / WW
LUMENS : 2000LM
BEAM ANGLE : 110°



LUNAR 25W
ALT0114
COLOR : BROWN / GREY
DIMENSION : D160*H45MM
CCT : WH / NW / WW
LUMENS : 2500LM
BEAM ANGLE : 110°

ERGO SMD Surface



WHITE(W)



BLACK(BK)



CHROME(CH)



GUN BLACK(GB)



BRASS(BS)



GREY(GY)



ERGO 8W
ALT0109
DIMENSION : D90*H75MM
CCT : WH/NW/WW/TUNNABLE
LUMENS : 720LM
BEAM ANGLE : 110°
COLOR : WHITE/BLACK/GUN BLACK
/CHROME/BRASS/GREY



ERGO 15W
ALT0110
DIMENSION : D120*H75MM
CCT : WH/NW/WW/TUNNABLE
LUMENS : 1350LM
BEAM ANGLE : 110°
COLOR : WHITE/BLACK/GUN BLACK
/CHROME/BRASS/GREY



ERGO 20W
ALT0111
DIMENSION : D140*H75MM
CCT : WH/NW/WW/TUNNABLE
LUMENS : 1800LM
BEAM ANGLE : 110°
COLOR : WHITE/BLACK

ECLIPSE

SMD Surface



WHITE / BLACK
16W | 24W | 35W | 48W



ECLIPSE 16W
ALTO123-RD / ALTO124-SQ
BLACK / WHITE
DIMENSION : D120*H35MM
CCT : WH/NW/WW
LUMENS : 1600LM
BEAM ANGLE : 110°



ECLIPSE 24W
ALTO125-RD / ALTO126-SQ
BLACK / WHITE
DIMENSION : D175*H35MM
CCT : WH/NW/WW
LUMENS : 2400LM
BEAM ANGLE : 110°



ECLIPSE 35W
ALTO127-RD / ALTO128-SQ
BLACK / WHITE
DIMENSION : D225*H35MM
CCT : WH/NW/WW
LUMENS : 3500LM
BEAM ANGLE : 110°



ECLIPSE 48W
ALTO155-RD / ALTO156-SQ
BLACK / WHITE
DIMENSION : D300*H35MM
CCT : WH/NW/WW
LUMENS : 4800LM
BEAM ANGLE : 110°

POLO LINE COB Downlight



GREY(GY)



BRASS(BS)



BROWN(BN)



BLACK(BK)



GUN BLACK(GB)



WHITE(W)

5W | 10W | 15W
20W



ALTO257

WATT : 5W
DIMENSION : D 52MM x
 H 48MM
CUTOUT : D 50MM
CCT : WH/WW/NW
LUMENS : 500LM
BEAM ANGLE : 38°
COLOR : WHITE/BLACK
 /GUN BLACK/GREY
 /BROWN/BRASS

ALTO258



WATT : 10W
DIMENSION : D 66MM x
 H 65MM
CUTOUT : D 60MM
CCT : WH/WW/NW
 /TUNNABLE
LUMENS : 1000LM
BEAM ANGLE : 15°/24°/38°/60°
COLOR : WHITE/BLACK
 /GUN BLACK/GREY
 /BROWN/BRASS

ALTO259



WATT : 15W
DIMENSION : D 82MM x
 H 75MM
CUTOUT : D 75MM
CCT : WH/WW/NW
 /TUNNABLE
LUMENS : 1500LM
BEAM ANGLE : 15°/24°/38°/60°
COLOR : WHITE/BLACK
 /GUN BLACK/GREY
 /BROWN/BRASS

ALTO260



WATT : 20W
DIMENSION : D 98MM x
 H 95.5MM
CUTOUT : D 90MM
CCT : WH/WW/NW
 /TUNNABLE
LUMENS : 2000LM
BEAM ANGLE : 15°/24°/38°/60°
COLOR : WHITE/BLACK
 /GUN BLACK/GREY
 /BROWN/BRASS

BEAM ANGLE 15°, 24°, 60° AVAILABLE IN SELECTED WATTAGE AT ADDITIONAL COST

ENZO

COB Downlight



WHITE(W)



GUN BLACK(GB)



BLACK(BK)



BROWN(BN)

8W | 15W | 20W



08
WATTS



15
WATTS



20
WATTS

ALT0276



WATT : 8W
DIMENSION : D48 X H95MM
CUTOUT : D40MM
CCT : WW/NW/TUNNABLE
LUMENS : 800LM
BEAM ANGLE : 38°
COLOR : WHITE/BLACK/GUN
 BLACK/BROWN

ALT0277



WATT : 15W
DIMENSION : D63 X H98MM
CUTOUT : D55MM
CCT : WW/NW/TUNNABLE
LUMENS : 1500LM
BEAM ANGLE : 38°
COLOR : WHITE/BLACK/GUN
 BLACK/BROWN

ALT0278



WATT : 20W
DIMENSION : D75 X H100MM
CUTOUT : D65MM
CCT : WW/NW/TUNNABLE
LUMENS : 2000LM
BEAM ANGLE : 38°
COLOR : WHITE/BLACK/GUN
 BLACK/BROWN

DART COB Downlight



WHITE(W)



BLACK(BK)



GUN BLACK(GB)

8W | 15W | 20W



08
WATTS



15
WATTS



20
WATTS

ALT0264



WATT : 8W

**DIMENSION : D 49MM x
H 74.5MM**

CUTOUT : D 43MM

CCT : WW/NW/TUNNABLE

LUMENS : 800LM

BEAM ANGLE : 15°/24°/38°/60°

**COLOR : WHITE/BLACK
/GUN BLACK**

ALT0265



WATT : 15W

**DIMENSION : D 60MM x
H 84.5MM**

CUTOUT : D 55MM

CCT : WW/NW/TUNNABLE

LUMENS : 1500LM

BEAM ANGLE : 15°/24°/38°/60°

**COLOR : WHITE/BLACK
/GUN BLACK**

ALT0266



WATT : 20W

**DIMENSION : D 79MM x
H 104.5MM**

CUTOUT : D 75MM

CCT : WW/NW/TUNNABLE

LUMENS : 2000LM

BEAM ANGLE : 15°/24°/38°/60°

**COLOR : WHITE/BLACK
/GUN BLACK**

BEAM ANGLE 15°, 24°, 60° AVAILABLE IN SELECTED WATTAGE AT ADDITIONAL COST

DART TILTABLE COB Downlight



WHITE + ROSE GOLD



WHITE + GUN BLACK



WHITE + WHITE



BLACK + BLACK



BLACK + ROSE GOLD



BLACK + GUN BLACK

8W | 15W | 20W

08
WATTS



15
WATTS



20
WATTS



ALT0267



WATT : 8W
DIMENSION : D67 x 75MM
CUTOUT : D 60MM
CCT : WW/NW/TUNABLE
LUMENS : 800LM
BEAM ANGLE : 15°/24°/38°/60°
COLOR : WHITE/BLACK
RING : WHITE/BLACK/GUN
 BLACK/ROSE GOLD

ALT0268



WATT : 15W
DIMENSION : D78 x 85MM
CUTOUT : D 70MM
CCT : WW/NW/TUNABLE
LUMENS : 1500LM
BEAM ANGLE : 15°/24°/38°/60°
COLOR : WHITE/BLACK
RING : WHITE/BLACK/GUN
 BLACK/ROSE GOLD

ALT0269



WATT : 20W
DIMENSION : D99 x 105MM
CUTOUT : D 90MM
CCT : WW/NW/TUNABLE
LUMENS : 2000LM
BEAM ANGLE : 15°/24°/38°/60°
COLOR : WHITE/BLACK
RING : WHITE/BLACK/GUN
 BLACK/ROSE GOLD


BEAM ANGLE 15°, 24°, 60° AVAILABLE IN SELECTED WATTAGE AT ADDITIONAL COST

NEW ARRIVALS


PINNACLE COB Downlight



BLACK(BK)



WHITE(W)



BROWN(BN)



GUN BLACK(GB)

8W | 15W



ALT0209

WATT : 8W
DIMENSION : D49 x 74.5MM
CUTOUT : D 43MM
CCT : WW/NW
LUMENS : 800LM
BEAM ANGLE : 36°
COLOR : WHITE/GUN BLACK/
BLACK/BROWN



ALT0210

WATT : 15W
DIMENSION : D60 x 84.5MM
CUTOUT : D 55MM
CCT : WW/NW
LUMENS : 1500LM
BEAM ANGLE : 36°
COLOR : WHITE/GUN BLACK/
BLACK/BROWN

NEW ARRIVALS

SNAP COB Downlight



BLACK(BK)



WHITE(W)



BROWN(BN)



GUN BLACK(GB)

8W | 15W



ALT0209

WATT : 8W
DIMENSION : D65 x 83.5MM
CUTOUT : D 58MM
CCT : WW/NW
LUMENS : 800LM
BEAM ANGLE : 36°
COLOR : WHITE/GUN BLACK/
BLACK/BROWN



ALT0210

WATT : 15W
DIMENSION : D65 x 98MM
CUTOUT : D 58MM
CCT : WW/NW
LUMENS : 1500LM
BEAM ANGLE : 36°
COLOR : WHITE/GUN BLACK/
BLACK/BROWN

NEW ARRIVALS

DELA COB Downlight



BLACK(BK)



WHITE(W)



BROWN(BN)



GUN BLACK(GB)

9W | 16W | 22W



ALT0211

WATT : 9W
DIMENSION : D 53MM x
H 75MM
CUTOUT : D 45MM
CCT : WW/NW
LUMENS : 900LM
BEAM ANGLE : 36°
COLOR : WHITE / GUN BLACK
/BLACK / BROWN



ALT0212

WATT : 16W
DIMENSION : D 68MM x
H 87MM
CUTOUT : D 60MM
CCT : WW/NW
LUMENS : 1600LM
BEAM ANGLE : 36°
COLOR : WHITE / GUN BLACK
/BLACK / BROWN



ALT0213

WATT : 22W
DIMENSION : D 83MM x
H 87MM
CUTOUT : D 75MM
CCT : WW/NW
LUMENS : 2200LM
BEAM ANGLE : 36°
COLOR : WHITE / GUN BLACK
/BLACK / BROWN

NEW ARRIVALS

REGALIA COB Downlight



BLACK(BK)



WHITE(W)



BROWN(BN)



GUN BLACK(GB)

16W | 24W



ALT0291

WATT : 16W
DIMENSION : D68 x H77MM
CUTOUT : D 59MM
CCT : WW/NW
LUMENS : 1600LM
BEAM ANGLE : 36°
COLOR : WHITE/GUN BLACK/
BLACK/BROWN



ALT0292

WATT : 24W
DIMENSION : D82 x H85MM
CUTOUT : D 74MM
CCT : WW/NW
LUMENS : 2400LM
BEAM ANGLE : 36°
COLOR : WHITE/GUN BLACK/
BLACK/BROWN

NEW ARRIVALS

NECTAR COB Downlight



WHITE + GUN BLACK



GUN BLACK + GUN BLACK

8W | 15W | 20W



ALT0283

WATT : 8W

**DIMENSION : D 69MM x
H 64MM**

CUTOUT : D 60MM

CCT : WH/WW/NW

LUMENS : 800LM

BEAM ANGLE : 38°

**COLOR : WHITE + GUN BLACK
/GUN BLACK + GUN BLACK**



ALT0284

WATT : 15W

**DIMENSION : D 82MM x
H 70MM**

CUTOUT : D 75MM

CCT : WH/WW/NW

LUMENS : 1500LM

BEAM ANGLE : 38°

**COLOR : WHITE + GUN BLACK
/GUN BLACK + GUN BLACK**



ALT0285

WATT : 20W

**DIMENSION : D 94MM x
H 77MM**

CUTOUT : D 85MM

CCT : WH/WW/NW

LUMENS : 2000LM

BEAM ANGLE : 38°

**COLOR : WHITE + GUN BLACK
/GUN BLACK + GUN BLACK**

PASEO

COB Downlight



GUN BLACK + GUN BLACK



WHITE + GUN BLACK



8W | 15W | 20W



08
WATTS



15
WATTS



20
WATTS

ALT0261



WATT : 8W
DIMENSION : D65 x 43MM
CUTOUT : D 55MM
CCT : WH/WW/NW/TUNNABLE
LUMENS : 800LM
BEAM ANGLE : 15°/24°/38°
COLOR : WHITE/GUN BLACK

ALT0262



WATT : 15W
DIMENSION : D85 x 45MM
CUTOUT : D 75MM
CCT : WH/WW/NW/TUNNABLE
LUMENS : 1500LM
BEAM ANGLE : 15°/24°/38°/60°
COLOR : WHITE/GUN BLACK

ALT0263



WATT : 20W
DIMENSION : D105 x 49MM
CUTOUT : D 95MM
CCT : WH/WW/NW/TUNNABLE
LUMENS : 2000LM
BEAM ANGLE : 15°/24°/38°/60°
COLOR : WHITE/GUN BLACK

BEAM ANGLE 15°, 24°, 60° AVAILABLE IN SELECTED WATTAGE AT ADDITIONAL COST

HIVE

COB Downlight



WHITE(W)



GOLD(G)



BROWN(BN)



BLACK(B)

8W | 15W | 20W



08
WATTS



15
WATTS



20
WATTS

ALTO254



WATT : 8W

DIMENSION : D 61MM x
H 64.5MM

CUTOUT : D 50MM

CCT : WH/WW/NW/TUNNABLE

LUMENS : 800LM

BEAM ANGLE : 15°/24°/38°

COLOR : WHITE/BLACK/GOLD
/BROWN

ALTO255



WATT : 15W

DIMENSION : D 74MM x
H 74MM

CUTOUT : D 65MM

CCT : WH/WW/NW/TUNNABLE

LUMENS : 1500LM

BEAM ANGLE : 15°/24°/38°/60°

COLOR : WHITE/BLACK/GOLD
/BROWN

ALTO256



WATT : 20W

DIMENSION : D 85MM x
H 85MM

CUTOUT : D 75MM

CCT : WH/WW/NW/TUNNABLE

LUMENS : 2000LM

BEAM ANGLE : 15°/24°/38°/60°

COLOR : WHITE/BLACK/GOLD
/BROWN

BEAM ANGLE 15°, 24°, 60° AVAILABLE IN SELECTED WATTAGE AT ADDITIONAL COST

BIGSHOT

COB Downlight



WHITE / BLACK
9W | 12W | 9Wx2 | 12Wx2



BIGSHOT 9W- RD/SQ
ALT1065
COLOR : WHITE/BLACK
DIMENSION : D83*H65MM
CCT : WW/NW
CUTOUT : D75MM
LUMENS : 900LM
BEAM ANGLE : 36°



BIGSHOT 12W- RD/SQ
ALT1066
COLOR : WHITE/BLACK
DIMENSION : D83*H85MM
CCT : WW/NW
CUTOUT : D75MM
LUMENS : 1200LM
BEAM ANGLE : 36°



BIGSHOT 9W TRIMLESS - RD/SQ
ALT1065T
COLOR : WHITE/BLACK
DIMENSION : D83*H65MM
CCT : WW/NW
CUTOUT : D75MM
LUMENS : 900LM
BEAM ANGLE : 36°



BIGSHOT 12W TRIMLESS - RD/SQ
ALT1066T
COLOR : WHITE/BLACK
DIMENSION : D83*H85MM
CCT : WW/NW
CUTOUT : D75MM
LUMENS : 1200LM
BEAM ANGLE : 36°



BIGSHOT 9W*2
ALT1065D
COLOR : WHITE/BLACK
DIMENSION : L158*H85MM
CCT : WW/NW
CUTOUT : L145*W73MM
LUMENS : 1800LM
BEAM ANGLE : 36°



BIGSHOT 12W*2
ALT1066D
COLOR : WHITE/BLACK
DIMENSION : D158*H85MM
CCT : WW/NW
CUTOUT : L158*W65MM
LUMENS : 2400LM
BEAM ANGLE : 36°

***NOTE : REFLECTOR FOR RD AVAILABLE IN WHITE/BLACK/GREY/GUN BLACK.**

GLOSTER COB Downlight



ROSE GOLD(RG)

GUN BLACK(GB)

WHITE(W)



CHAMPAGNE GOLD(CG)

BLACK(BK)

GOLD(G)

WHITE / BLACK 5W | 7W | 12W | 20W



ALT0849

COLOR : WHITE/BLACK

WATT : 5W

DIMENSION : D 46mm x H 42mm

CUTOUT : D 40mm

CCT : WH/WW/NW

LUMENS : 450lm

BEAM ANGLE : 38°



ALT0843

COLOR : WHITE/BLACK

WATT : 7W

DIMENSION : D 70mm x H 60mm

CUTOUT : D 60mm

CCT : WH/WW/NW

/5K/TUNNABLE

LUMENS : 630lm

BEAM ANGLE : 38°



ALT0845

COLOR : WHITE/BLACK

WATT : 12W

DIMENSION : D 85mm x H 65mm

CUTOUT : D 75mm

CCT : WH/WW/NW

/5K/TUNNABLE

LUMENS : 1080lm

BEAM ANGLE : 38°



ALT0847

COLOR : WHITE/BLACK

WATT : 20W

DIMENSION : D 95mm x H 80mm

CUTOUT : D 85mm

CCT : WH/WW/NW

/5K/TUNNABLE

LUMENS : 1650lm

BEAM ANGLE : 38°



30
WATTS



GLOSTER 30W

ALT0841
COLOR : WHITE/BLACK

WATT : 30W
DIMENSION : D121MM*H95MM
CUTOUT : D110MM
CCT : WH/WW/NW
LUMENS : 2600LM
BEAM ANGLE : 38°

07
WATTS



GLOSTER TILTABLE 7W

ALT0843A
COLOR : WHITE/BLACK

WATT : 7W
DIMENSION : D85MM*H60MM
CUTOUT : D60MM
CCT : WH/WW/NW
LUMENS : 630LM
BEAM ANGLE : 38°

12
WATTS



GLOSTER TILTABLE 12W

ALT0845A
COLOR : WHITE/BLACK

WATT : 12W
DIMENSION : D100MM*H65MM
CUTOUT : D75MM
CCT : WH/WW/NW
LUMENS : 1080LM
BEAM ANGLE : 38°

FUNEL

COB Downlight



WHITE / BLACK
11W | 18W



FUNEL 11W
ALT1063
COLOR : WHITE/BLACK
DIMENSION : D53*H66MM
CCT : WW/NW
CUTOUT : D45MM
LUMENS : 1100LM
BEAM ANGLE : 36°

FUNEL 11W
ALT1064
COLOR : WHITE/BLACK
DIMENSION : D53*H66MM
CCT : WW/NW
CUTOUT : D45MM
LUMENS : 1100LM
BEAM ANGLE : 36°

FUNEL 11W TRIMLESS
ALT1063T
COLOR : WHITE/BLACK
DIMENSION : D53*H66MM
CCT : WW/NW
CUTOUT : D45MM
LUMENS : 1100LM
BEAM ANGLE : 36°



FUNEL 18W
ALT1074
COLOR : WHITE/BLACK
DIMENSION : D69*H90MM
CCT : WW/NW
CUTOUT : D60MM
LUMENS : 1800LM
BEAM ANGLE : 36°

FUNEL 18W
ALT1075
COLOR : WHITE/BLACK
DIMENSION : D69*H90MM
CCT : WW/NW
CUTOUT : D60MM
LUMENS : 1800LM
BEAM ANGLE : 36°

FUNEL 18W TRIMLESS
ALT1074T
COLOR : WHITE/BLACK
DIMENSION : D69*H90MM
CCT : WW/NW
CUTOUT : D60MM
LUMENS : 1800LM
BEAM ANGLE : 36°

COB WIDE ANGLE



WHITE / BLACK
13W | 15W | 15Wx2




ROX 15W
ALT1050
COLOR : BLACK/WHITE
DIMENSION : D82*H83MM
CCT : WW / NW
CUTOUT : D76MM
LUMENS : 1500LM
BEAM ANGLE : 60°



CONCAVE 13W
ALT1051
COLOR: BLACK/WHITE
DIMENSION : D82*H55MM
CCT : WW / NW
CUTOUT : D72MM
LUMENS : 1300LM
BEAM ANGLE : 60°



RIMZ 13W
ALT1052
COLOR : BLACK/WHITE
DIMENSION : D82*H64MM
CCT : WW / NW
CUTOUT : D72MM
LUMENS : 1300LM
BEAM ANGLE : 60°



SQUACO 15W
ALT1053
COLOR : BLACK/WHITE
DIMENSION : L79*W79*H93MM
CCT : WW / NW
CUTOUT : 75*75MM
LUMENS : 1500LM
BEAM ANGLE : 60°



SQUACO 2*15W
ALT1054
COLOR : BLACK/WHITE
DIMENSION : L155*W79*H93MM
CCT : WW / NW
CUTOUT : 148*75MM
LUMENS : 3000LM
BEAM ANGLE : 60°

MINI SPOT



***TO BE CONNECTED WITH PLATO SERIES DRIVER 12V**

GRID 1W (12V)
ALTO208
DIMENSION : D22*H39MM
CCT : WW
CUTOUT : D 18MM
LUMENS : 90LM
BEAM ANGLE : 24°
COLOR : MATTE BLACK/GUN BLACK/ROSE GOLD/WHITE



ARIS 3W
ALTO801
DIMENSION : D40*H26MM
CCT : WH/NW/WW
CUTOUT : D 35MM
LUMENS : 210LM
BEAM ANGLE : 36°
COLOR : WHITE/BLACK/CHROME/ROSE GOLD/SN



VIMIO 3W
ALTO802
DIMENSION : D40*H40MM
CCT : WW
CUTOUT : D34MM
LUMENS : 210LM
BEAM ANGLE : 36°
COLOR : WHITE/WHITE+ROSE GOLD
/ROSE GOLD/GOLD/BLACK/CHROME



VIMIO II 3W
ALTO800
DIMENSION : D37*H53MM
CCT : WW/NW
CUTOUT : D30MM
LUMENS : 250LM
BEAM ANGLE : 24°
COLOR : BLACK+BLACK/BLACK+ROSE GOLD
/WHITE+WHITE/WHITE+BLACK/WHITE+ROSE GOLD

MINI SPOT



RAY 3W
ALTO851
DIMENSION : D37*H35MM
CCT : WW/NW
CUTOUT : D28MM
LUMENS : 240LM
BEAM ANGLE : 36°
COLOR : BLACK/WHITE/ROSE GOLD/GUN BLACK



RAY 5W
ALTO852
DIMENSION : D45*H40MM
CCT : WW/NW
CUTOUT : D40MM
LUMENS : 450LM
BEAM ANGLE : 36°
COLOR : BLACK/WHITE/ROSE GOLD/COPPER/CHAMPAGNE



ZEUS 5W
ALTO803
DIMENSION : D45*H65MM
CCT : WH/NW/WW
CUTOUT : D38MM
LUMENS : 550LM
BEAM ANGLE : 24°
COLOR : BLACK/WHITE/ROSE GOLD



CIRCLE 5W
ALTO945
DIMENSION : D50*H40MM
CCT : WW
CUTOUT : D35MM
LUMENS : 250LM
BEAM ANGLE : 60°
COLOR : BLACK/WHITE/ROSE GOLD/WOOD



QUAD ROUND 10W
ALTO820
DIMENSION : D55*H80MM
CCT : WH/NW/WW
CUTOUT : D50MM
LUMENS : 1050LM
BEAM ANGLE : 38°
COLOR : WHITE/BLACK/GOLD



QUAD SQUARE 10W
ALTO821
DIMENSION : D55*H80MM
CCT : WH/NW/WW
CUTOUT : D50MM
LUMENS : 1050LM
BEAM ANGLE : 38°
COLOR : WHITE/BLACK/GOLD

MINI SPOT



STYX 7W ROUND
ALT1061-RD
COLOR : WHITE/BLACK
DIMENSION : D50*H67MM
CCT : WW/NW
CUTOUT : D45MM
BEAM ANGLE : 24°



STYX 7W SQUARE
ALT1061-SQ
COLOR : WHITE/BLACK
DIMENSION : D50*H67MM
CCT : WW/NW
CUTOUT : D45MM
BEAM ANGLE : 24°



AIM 10W SPOT TRIM
ALT1059
COLOR : WHITE/BLACK
DIMENSION : D45*H90MM
CCT : WW/NW
CUTOUT : D40MM
BEAM ANGLE : 24°



AIM 10W SPOT TRIMLESS
ALT1060
COLOR : WHITE/BLACK
DIMENSION : D45*H90MM
CCT : WW/NW
CUTOUT : D40MM
BEAM ANGLE : 24°



DRACO F 7W
ALT1057
COLOR : WHITE/BLACK
DIMENSION : D60*H55MM
CCT : WW/NW
CUTOUT : D45MM
BEAM ANGLE : 24°



DRACO H 7W
ALT1058
COLOR : WHITE/BLACK
DIMENSION : D60*H55MM
CCT : WW/NW
CUTOUT : D45MM
BEAM ANGLE : 24°

MINI SPOT



PICTOR 6W
ALTO837
DIMENSION : D45*H55MM
CCT : NW/WW
CUTOUT : D 35MM
LUMENS : 600LM
BEAM ANGLE : 36°
COLOR : BLACK/GUN BLACK/BROWN/PEARL WHITE

PICTOR 10W
ALTO838
DIMENSION : D45*H82MM
CCT : NW/WW
CUTOUT : D 35MM
LUMENS : 1000LM
BEAM ANGLE : 36°
COLOR : BLACK/GUN BLACK/BROWN/PEARL WHITE



CROWN 6W
ALTO839
DIMENSION : D45*H55MM
CCT : WW/NW
CUTOUT : D35MM
LUMENS : 600LM
BEAM ANGLE : 36°
COLOR : BLACK/GUN BLACK/BROWN/PEARL WHITE

CROWN 10W
ALTO840
DIMENSION : D45*H82MM
CCT : WW/NW
CUTOUT : D35MM
LUMENS : 1000LM
BEAM ANGLE : 36°
COLOR : BLACK/GUN BLACK/BROWN/PEARL WHITE

IRIS

Jewellery Lights



3°

IRIS I 5W
ALT0275
COLOR : BLACK / WHITE
DIMENSION : D64*H75MM
CUTOUT : D50MM
CCT : NW/WW
LUMENS : 650LM
BEAM ANGLE : 3°



3°

IRIS II 5W
ALT0273
COLOR : BLACK / WHITE
DIMENSION : D48*H47MM
CUTOUT : D38MM
CCT : NW/WW
LUMENS : 650LM
BEAM ANGLE : 3°



20°

IRIS III 3W
ALT0274
COLOR : BLACK / WHITE
DIMENSION : D45*H50MM
CUTOUT : D34MM
CCT : NW/WW
LUMENS : 650LM
BEAM ANGLE : 20°

COB DOWNLIGHT



DENSE 7W
ALT1069
COLOR : WHITE/BLACK
DIMENSION : D66*H72MM
CCT : WW / NW
CUTOUT : D60MM
LUMENS : 700LM
BEAM ANGLE : 36°



DENSE 12W
ALT1070
COLOR : WHITE/BLACK
DIMENSION : D86*H95MM
CCT : WW / NW
CUTOUT : D75MM
LUMENS : 1200LM
BEAM ANGLE : 36°



ASTRE 9W
ALT0810
COLOR : WHITE/BLACK
DIMENSION : D60*H70MM
CCT : WW / NW / WH / TUNNABLE
CUTOUT : D50MM
LUMENS : 900LM
BEAM ANGLE : 36°



ASTRS 15W
ALT0811
COLOR : WHITE/BLACK
DIMENSION : D75*H85MM
CCT : WW / NW / WH / TUNNABLE
CUTOUT : D70MM
LUMENS : 1500LM
BEAM ANGLE : 36°

POLO COB IP 65



BLACK(BK)



GUN BLACK(GB)



ROSE GOLD(RG)



WHITE(W)

08
WATTS



POLO 8W
ALT0233



WATT : 8W
DIMENSION : D 70mm x H 65mm
CUTOUT : D 65mm
CCT : WW/NW/TUNNABLE
LUMENS : 720lm
BEAM ANGLE : 36°
COLOR : WHITE/BLACK/ROSE
GOLD/GUN BLACK

15
WATTS



POLO 15W
ALT0234



WATT : 15W
DIMENSION : D 87mm x H 81.5mm
CUTOUT : D 80mm
CCT : WW/NW/TUNNABLE
LUMENS : 1350lm
BEAM ANGLE : 36°
COLOR : WHITE/BLACK/ROSE
GOLD/GUN BLACK

COB IP65



AQUA 7W
ALTO270
COLOR : WHITE/BLACK
DIMENSION : D62*H58MM
CCT : WW/NW/WH
CUTOUT : D55MM
LUMENS : 700LM
BEAM ANGLE : 36°



AQUA 12W
ALTO271
COLOR : WHITE/BLACK
DIMENSION : D83*H62MM
CCT : WW/NW/WH
CUTOUT : D75MM
LUMENS : 1200LM
BEAM ANGLE : 36°



AQUA 20W
ALTO272
COLOR : WHITE/BLACK
DIMENSION : D104*H71MM
CCT : WW/NW/WH
CUTOUT : D94MM
LUMENS : 2000LM
BEAM ANGLE : 36°



CAMEO 12W
ALTO813
COLOR : WHITE/BLACK
DIMENSION : D88*H75MM
CCT : WW/NW/WH
CUTOUT : D80MM
LUMENS : 1210LM
BEAM ANGLE : 38°



CAMEO 20W
ALTO814
COLOR : WHITE/BLACK
DIMENSION : D108*H95MM
CCT : WW/NW/WH
CUTOUT : D100M
LUMENS : 2435LM
BEAM ANGLE : 38°

COB DOWNLIGHT



BAFFLE 8W
ALT1055
COLOR : WHITE/BLACK
DIMENSION : D85MM
CCT : WW/NW/WH
CUTOUT : D75MM
LUMENS : 720LM
BEAM ANGLE : 36°



BAFFLE 12W
ALT1056
COLOR : WHITE/BLACK
DIMENSION : D85MM
CCT : WW/NW/WH
CUTOUT : D75MM
LUMENS : 1080LM
BEAM ANGLE : 36°



BAFFLE 8W x 2
ALT1055D
COLOR : WHITE/BLACK
DIMENSION : D167*H88MM
CCT : WW/NW/WH
CUTOUT : 150*70MM
LUMENS : 1440LM
BEAM ANGLE : 36°



BAFFLE 12W x 2
ALT1056D
COLOR : WHITE/BLACK
DIMENSION : D167*H88MM
CCT : WW/NW/WH
CUTOUT : 150*70MM
LUMENS : 2160LM
BEAM ANGLE : 36°



ALLORA 9W WALL WASHER
ALT0832
COLOR : WHITE/BLACK
DIMENSION : D85*H65MM
CCT : WW/NW/WH
CUTOUT : D70MM
LUMENS : 900LM
BEAM ANGLE : 38°



ALLORA 9W PINHOLE
ALT0833
COLOR : WHITE/BLACK
DIMENSION : D85*H65MM
CCT : WW/NW/WH
CUTOUT : D70M
LUMENS : 900LM
BEAM ANGLE : 38°

COB DOWNLIGHT



TOSKA 12W WALL WASHER
ALT0809
COLOR : WHITE/BLACK
DIMENSION : D84*H62MM
CCT : WW/NW/WH
CUTOUT : D 76MM
LUMENS : 1200LM
BEAM ANGLE : 15°



ALLORA 9W
ALT0834
COLOR : WHITE/BLACK
DIMENSION : L112*W112*H85MM
CCT : WW/NW/WH
CUTOUT : 95*95MM
LUMENS : 900LM
BEAM ANGLE : 38°



ALLORA 9W x 2
ALT0835
COLOR : WHITE/BLACK
DIMENSION : L210*W112*H85MM
CCT : WW/NW/WH
CUTOUT : 190*95MM
LUMENS : 1800LM
BEAM ANGLE : 38°



ALLORA 9W x 3
ALT0836
COLOR : WHITE/BLACK
DIMENSION : L283*W112*H85MM
CCT : WW/NW/WH
CUTOUT : 260*95MM
LUMENS : 2700LM
BEAM ANGLE : 38°



GLERO I 12W
ALT0924
COLOR : WHITE/BLACK
DIMENSION : D100*H100MM
CCT : WW/NW/WH
CUTOUT : 90*90MM
LUMENS : 1080LM
BEAM ANGLE : 38°



GLERO I 12W x 2
ALT0925
COLOR : WHITE/BLACK
DIMENSION : L180*W100*H100MM
CCT : WW/NW/WH
CUTOUT : 165*90MM
LUMENS : 2160LM
BEAM ANGLE : 38°

MATRIX

Linear COB



WHITE / BLACK
6W | 12W | 20W



TUNABLE
COLOR
RF 24G



TUNABLE
COLOR
RF 24G

MATRIX III 6W
ALT0912
COLOR : BLACK / WHITE
DIMENSION : L69*W31*H40MM
CUTOUT : L65*W27MM
CCT : NW/WW
LUMENS : 600LM
BEAM ANGLE : 36°

MATRIX III 12W
ALT0913
COLOR : BLACK / WHITE
DIMENSION : L126*W31*H40MM
CUTOUT : L122*W27MM
CCT : NW/WW/TUNNABLE
LUMENS : 1200LM
BEAM ANGLE : 36°

MATRIX III 20W
ALT0914
COLOR : BLACK / WHITE
DIMENSION : L240*W31*H40MM
CUTOUT : L236*W27MM
CCT : NW/WW/TUNNABLE
LUMENS : 2000LM
BEAM ANGLE : 36°



TUNABLE
COLOR
RF 24G

MATRIX III 6W TILT
ALT0915
COLOR : BLACK / WHITE
DIMENSION : L74*W49*H44MM
CUTOUT : L70*W43MM
CCT : NW/WW
LUMENS : 600LM
BEAM ANGLE : 36°

MATRIX III 12W TILT
ALT0916
COLOR : BLACK / WHITE
DIMENSION : L141*W49*H44MM
CUTOUT : L136*W43MM
CCT : NW/WW/TUNNABLE
LUMENS : 1200LM
BEAM ANGLE : 36°

MATRIX

Linear COB



MATRIX 5W
ALTO918
COLOR : BLACK / WHITE
DIMENSION : L54*W54*H50MM
CCT : WW / NW
CUTOUT : L49*W45MM
LUMENS : 450LM
BEAM ANGLE : 36°



MATRIX 12W
ALTO919
COLOR : BLACK / WHITE
DIMENSION : L130*W54*H52MM
CCT : WW / NW
CUTOUT : L120*W45MM
LUMENS : 1080LM
BEAM ANGLE : 36°



MATRIX 20W
ALTO921
COLOR : BLACK / WHITE
DIMENSION : L206*W54*H52MM
CCT : WW / NW
CUTOUT : L201*W45MM
LUMENS : 1800LM
BEAM ANGLE : 36°



MATRIX II 6W
ALTO909
COLOR : BLACK / WHITE
DIMENSION : L75*W45*H49MM
CCT : WW / NW
CUTOUT : L64*W32MM
LUMENS : 540LM
BEAM ANGLE : 36°



MATRIX II 15W
ALTO911
COLOR : BLACK / WHITE
DIMENSION : L147*W45*H49MM
CCT : WW / NW
CUTOUT : L140*32MM
LUMENS : 1350LM
BEAM ANGLE : 36°

SWAY

Pullout COB

WHITE / BLACK
7W | 7Wx2 | 7Wx3



SWAY 7W
ALT1067
COLOR : BLACK / WHITE
DIMENSION : D58*H118MM
CUTOUT : D46MM
CCT : NW/WW
LUMENS : 700LM
BEAM ANGLE : 36°



SWAY 7W x 2
ALT1067A
COLOR : BLACK / WHITE
DIMENSION : L130*W70*H118MM
CUTOUT : L120*W60MM
CCT : NW/WW
LUMENS : 1400LM
BEAM ANGLE : 36°



SWAY 7W x 3
ALT1067B
COLOR : BLACK / WHITE
DIMENSION : L205*W70*H118MM
CUTOUT : L195*W60MM
CCT : NW/WW
LUMENS : 2100LM
BEAM ANGLE : 36°



SWAY 7W
ALT1068
COLOR : BLACK / WHITE
DIMENSION : D58*H80MM
CUTOUT : D46MM
CCT : NW/WW
LUMENS : 700LM
BEAM ANGLE : 36°



SWAY 7W x 2
ALT1068A
COLOR : BLACK / WHITE
DIMENSION : L130*W70*H118MM
CUTOUT : L120*W60MM
CCT : NW/WW
LUMENS : 1400LM
BEAM ANGLE : 36°



SWAY 7W x 3
ALT1068B
COLOR : BLACK / WHITE
DIMENSION : L205*W70*H80MM
CUTOUT : L195*W60MM
CCT : NW/WW
LUMENS : 2100LM
BEAM ANGLE : 36°

PULLOUT COB



TWIST 12W
ALTO665
COLOR : WHITE/BLACK
DIMENSION : D84*H100.5MM
CCT : WW/NW/WH
CUTOUT : D75MM
LUMENS : 1200LM
BEAM ANGLE : 38°



TWIST 12W x 2
ALTO666
COLOR : WHITE/BLACK
DIMENSION : D175*H83MM
CCT : WW/NW/WH
CUTOUT : 158*75MM
LUMENS : 2400LM
BEAM ANGLE : 38°



EVOLVE 12W
ALTO625
COLOR : WHITE/BLACK
DIMENSION : D85*H95MM
CCT : WW/NW/WH
CUTOUT : D75MM
LUMENS : 1200LM
BEAM ANGLE : 36°



EVOLVE 12W TRIMLESS
ALTO625T
COLOR : WHITE
DIMENSION : D85*H95MM
CCT : WW/NW/WH
CUTOUT : 75MM
LUMENS : 1200LM
BEAM ANGLE : 36°



EVOLVE 12W x 2
ALTO626
COLOR : WHITE
DIMENSION : D150*H80MM
CCT : WW/NW/WH
CUTOUT : 138*65MM
LUMENS : 1200LM
BEAM ANGLE : 36°



EVOLVE 12W x 3
ALTO627
COLOR : WHITE
DIMENSION : D225*H80MM
CCT : WW/NW/WH
CUTOUT : 210*65MM
LUMENS : 3600LM
BEAM ANGLE : 36°

LUMOS

COB Tilttable



LUMOS 3W
ALTO214
COLOR : WHITE
DIMENSION : D70*H42MM
CCT : WW/NW/WH
CUTOUT : D60MM
LUMENS : 260LM
BEAM ANGLE : 38°



LUMOS 6W
ALTO215
COLOR : WHITE
DIMENSION : D84*H48MM
CCT : WW/NW/WH
CUTOUT : D75MM
LUMENS : 540LM
BEAM ANGLE : 38°



LUMOS 9W
ALTO216
COLOR : WHITE
DIMENSION : D99*H53MM
CCT : WW/NW/WH
CUTOUT : D85MM
LUMENS : 770LM
BEAM ANGLE : 38°



LUMOS 12W
ALTO217
COLOR : WHITE
DIMENSION : D99*H58MM
CCT : WW/NW/WH
CUTOUT : D85MM
LUMENS : 1000LM
BEAM ANGLE : 38°



LUMOS 16W
ALTO218
COLOR : WHITE
DIMENSION : D110*H64MM
CCT : WW/NW/WH
CUTOUT : D100MM
LUMENS : 1350LM
BEAM ANGLE : 38°



LUMOS 20W
ALTO223
COLOR : WHITE
DIMENSION : D125*H80MM
CCT : WW/NW/WH
CUTOUT : D110MM
LUMENS : 1700LM
BEAM ANGLE : 38°



LUMOS 30W
ALTO225
COLOR : WHITE
DIMENSION : D134*H84MM
CCT : WW/NW/WH
CUTOUT : D125MM
LUMENS : 2550LM
BEAM ANGLE : 38°

MERAKI

COB Downlight



WHITE / BLACK
15W | 20W | 25W | 30W | 50W



MERAKI 15W
ALT0815
COLOR : WHITE/BLACK
DIMENSION : D70*H85MM
CCT : WW/NW/WH
CUTOUT : D60MM
LUMENS : 1515LM
BEAM ANGLE : 38°



MERAKI 20W
ALT0816
COLOR : WHITE/BLACK
DIMENSION : D85*H90MM
CCT : WW/NW/WH
CUTOUT : D75MM
LUMENS : 2435LM
BEAM ANGLE : 60°



MERAKI 25W
ALT0817
COLOR : WHITE/BLACK
DIMENSION : D95*H105MM
CCT : WW/NW/WH
CUTOUT : D85MM
LUMENS : 3045LM
BEAM ANGLE : 38°



MERAKI 30W
ALT0818
COLOR : WHITE/BLACK
DIMENSION : D110*H110MM
CCT : WW/NW/WH
CUTOUT : D100MM
LUMENS : 3655LM
BEAM ANGLE : 60°



MERAKI 50W
ALT0819
COLOR : WHITE
DIMENSION : D135*H130MM
CCT : WW/NW/WH
CUTOUT : D125MM
LUMENS : 6095LM
BEAM ANGLE : 60°

XPLOD

COB Downlight



WHITE / BLACK
25W | 35W | 25Wx2 | 35Wx2



XPLOD 25W
LVTL1008
COLOR : WHITE/BLACK
DIMENSION : D102*H90MM
CCT : WW/NW/WH
CUTOUT : D90MM
LUMENS : 2750LM
BEAM ANGLE : 24°/36°/60°



XPLOD 25W
LVTL1009
COLOR : WHITE/BLACK
DIMENSION : D110*H95MM
CCT : WW/NW/WH
CUTOUT : D100MM
LUMENS : 2750LM
BEAM ANGLE : 24°/36°/60°



XPLOD 35W
LVTL1005
COLOR : WHITE/BLACK
DIMENSION : D120*H102MM
CCT : WW/NW/WH
CUTOUT : D105MM
LUMENS : 3850LM
BEAM ANGLE : 24°/36°/60°



XPLOD 35W
LVTL1010
COLOR : WHITE/BLACK
DIMENSION : D112*H102MM
CCT : WW/NW/WH
CUTOUT : D100MM
LUMENS : 3850LM
BEAM ANGLE : 24°/36°/60°



XPLOD TITABLE 25W/35W
LVTL1006
COLOR : WHITE/BLACK
DIMENSION : D140*H110MM
CCT : WW/NW/WH
CUTOUT : D110MM
LUMENS : 110LM/WATT
BEAM ANGLE : 24°/36°/60°



XPLOD 25W x 2/35W x 2
LVDL1007
COLOR : WHITE/BLACK
DIMENSION : L240*W120*H95MM
/ L260*W136*H115MM
CCT : WW/NW/WH
CUTOUT : D230*115MM / D250*130MM
LUMENS : 110LM/WATT
BEAM ANGLE : 24°/36°/60°

CORE & CUBA

Track Light



WHITE / BLACK
25W | 35W



CORE 25W
LVTL1001
COLOR : WHITE/BLACK
DIMENSION : D82*H165MM
CCT : WW/NW/WH
LUMENS : 2750LM
BEAM ANGLE : 24°/36°/60°

CORE 35W
LVTL1002
COLOR : WHITE/BLACK
DIMENSION : D95*H175MM
CCT : WW/NW/WH
LUMENS : 3850LM
BEAM ANGLE : 24°/36°/60°



CUBA 25W
LVTL1003
COLOR : WHITE/BLACK
DIMENSION : D82*H165MM
CCT : WW/NW/WH
LUMENS : 2750LM
BEAM ANGLE : 24°/36°/60°

CUBA 35W
LVTL1004
COLOR : WHITE/BLACK
DIMENSION : D95*H175MM
CCT : WW/NW/WH
LUMENS : 3850LM
BEAM ANGLE : 24°/36°/60°

PEEK Track Light



PEEK 12W
ALTO657
COLOR : WHITE/BLACK
DIMENSION : D50*H130MM
CCT : WW / NW / WH
LUMENS : 1260LM
BEAM ANGLE : 38°



PEEK 20W
ALTO658
COLOR : WHITE/BLACK
DIMENSION : D60*H160MM
CCT : WW / NW / WH
LUMENS : 2100LM
BEAM ANGLE : 38°



PEEK 30W
ALTO659
COLOR : WHITE/BLACK
DIMENSION : D77*H190MM
CCT : WW / NW / WH
LUMENS : 3100LM
BEAM ANGLE : 38°



MAGNUM TRACK SPOT 8W
ALT1041
DIMENSION : D45*H160MM
CCT : WW / NW
LUMENS : 640LM
BEAM ANGLE : 24°
COLOR : WHITE/BLACK/GUN BLACK
/ROSE GOLD/CHROME/BRASS



MAGNUM TRACK SPOT 15W
ALT1042
DIMENSION : D45*H180MM
CCT : WW / NW
LUMENS : 1200LM
BEAM ANGLE : 24°
COLOR : WHITE/BLACK/GUN BLACK
/ROSE GOLD/CHROME/BRASS

VERTIGO

Track Light



VERTIGO II 10W
ALTO342
COLOR : WHITE/BLACK
DIMENSION : D45*H100MM
CCT : WW / NW / WH
LUMENS : 1000LM
BEAM ANGLE : 36°



VERTIGO II 15W
ALTO343
COLOR : WHITE/BLACK
DIMENSION : D55*H120MM
CCT : WW / NW / WH
LUMENS : 1500LM
BEAM ANGLE : 36°



VERTIGO II 20W
ALTO344
COLOR : WHITE/BLACK
DIMENSION : D65*H140MM
CCT : WW / NW / WH
LUMENS : 2000LM
BEAM ANGLE : 36°



VERTIGO II 30W
ALTO345
COLOR : WHITE/BLACK
DIMENSION : D75*H160MM
CCT : WW / NW / WH
LUMENS : 3000LM
BEAM ANGLE : 36°

ARCHER



ARCHER 18W
ALTO601
COLOR : WHITE
DIMENSION : D90*H72MM
CCT : WW/NW/WH
CUTOUT : D85MM
LUMENS : 1800LM
BEAM ANGLE : 40°



ARCHER 30W
ALTO602
COLOR : WHITE
DIMENSION : D125*H102MM
CCT : WW/NW/WH
CUTOUT : D115MM
LUMENS : 3000LM
BEAM ANGLE : 40°

VERITAS

Track Light



VERITAS 10W
ALTO305
COLOR : WHITE/BLACK
DIMENSION : D53*H125MM
CCT : WW / NW / WH
LUMENS : 1000LM
BEAM ANGLE : 36°



VETITAS 15W
ALTO306
COLOR : WHITE/BLACK
DIMENSION : D63*H156MM
CCT : WW / NW / WH
LUMENS : 2000LM
BEAM ANGLE : 36°



VERITAS 30W
ALTO307
COLOR : WHITE/BLACK
DIMENSION : D76*H180MM
CCT : WW / NW / WH
LUMENS : 3000LM
BEAM ANGLE : 36°

TRACK CHANNEL

2 LINE TRACK CHANNEL



TRACK CHANNEL (T)
ALTO613
LENGTH : 1M
POWER : 2 LINE
GAUGE : NORMAL
MATERIAL : COPPER
BODY COLOR : WHITE/BLACK



TRACK CHANNEL (T)
ALTO614
LENGTH : 2M
POWER : 2 LINE
GAUGE : NORMAL
MATERIAL : COPPER
BODY COLOR : WHITE/BLACK



TRACK CHANNEL (SQ)
ALTO615
LENGTH : 1M
POWER : 2 LINE
GAUGE : HEAVY
MATERIAL : COPPER
BODY COLOR : WHITE/BLACK



TRACK CHANNEL (SQ)
ALTO616
LENGTH : 2M
POWER : 2 LINE
GAUGE : HEAVY
MATERIAL : COPPER
BODY COLOR : WHITE/BLACK

2 LINE CONNECTORS



TRACK JOINTER
ALTO617
SHAPE : I JOINTER
POWER : 2 LINE
COLOR : WHITE/BLACK



TRACK JOINTER
ALTO618
SHAPE : L JOINTER
POWER : 2 LINE
COLOR : WHITE/BLACK



TRACK JOINTER
ALTO619
SHAPE : T JOINTER
POWER : 2 LINE
COLOR : WHITE/BLACK

3 LINE TRACK CHANNEL



TRACK CHANNEL
ALTO620
LENGTH : 1M
GAUGE : HEAVY
POWER : 3 LINE
MATERIAL : COPPER
COLOR : WHITE/BLACK



TRACK CHANNEL
ALTO621
LENGTH : 2M
GAUGE : HEAVY
POWER : 3 LINE
MATERIAL : COPPER
COLOR : WHITE/BLACK

3 LINE CONNECTORS



ALTO617A
PRODUCT : I JOINTER
POWER : 3 LINE
MATERIAL : COPPER
BODY COLOR : WHITE/BLACK



ALTO618A
PRODUCT : L JOINTER
POWER : 3 LINE
MATERIAL : COPPER
BODY COLOR : WHITE/BLACK



ALTO622
PRODUCT : SUSPENSION KIT
LENGTH : 1M/2M/3M/5M



ALTO623
PRODUCT : HANGING SUSPENSION
LENGTH : 1M
COLOUR : WHITE

HANGING ACCESSORIES

GLITTER COB Surface



GREY(GY)



BLACK(BK)



BROWN(BN)



WHITE(W)

12W | 20W



12
WATTS
GLITTER 12W
ALT0603



WATT : 12W
DIMENSION : D90 x H70MM
CCT : WH/WW/NW
LUMENS : 1200LM
BEAM ANGLE : 36°
COLOR : WHITE/BLACK
/GREY/BROWN
/GUN BLACK

*CCT SWITCH DRIVER




20
WATTS
GLITTER 20W
ALT0604



WATT : 20W
DIMENSION : D120 x H70MM
CCT : WH/WW/NW
LUMENS : 2000LM
BEAM ANGLE : 36°
COLOR : WHITE/BLACK
/GREY/BROWN
/GUN BLACK

*CCT SWITCH DRIVER

MARBLE COB Surface



BROWN(BN)




BLACK(BK)



GUN BLACK(GB)




GREY(GY)



BRASS(BS)



08
WATTS



12
WATTS



MARBLE 8W ALTO349

WATT : 8W
DIMENSION : D63 x H53MM
CCT : WW/NW
LUMENS : 800LM
BEAM ANGLE : 36°
COLOR : GUN BLACK/GREY
 /BRASS/MATTE BLACK
 /BROWN

MARBLE 12W ALTO350

WATT : 12W
DIMENSION : D84 x H66MM
CCT : WW/NW
LUMENS : 1200LM
BEAM ANGLE : 36°
COLOR : GUN BLACK/GREY
 /BRASS/MATTE BLACK
 /BROWN

HANGING SUSPENSION

PRODUCT : BLK HNG
BODY COLOR : BLACK
DIMENSION : 1MTR

KALON COB Surface



GREY(GY)



COPPER(CP)



WHITE(W)



BLACK(BK)



BRASS(BS)



KALON 7W
ALT0333

WATT : 7W
DIMENSION : D58 x H67MM
CCT : WW/NW
LUMENS : 700LM
BEAM ANGLE : 38°
COLOR : WHITE/BLACK/GREY
/BRASS/COPPER



KALON 12W
ALT0334

WATT : 12W
DIMENSION : D72 x H80MM
CCT : WW/NW
LUMENS : 1200LM
BEAM ANGLE : 38°
COLOR : WHITE/BLACK/GREY
/BRASS/COPPER



KALON 18W
ALT0335

WATT : 18W
DIMENSION : D86 x H87MM
CCT : WW/NW/ TUNNABLE
LUMENS : 1800LM
BEAM ANGLE : 38°
COLOR : WHITE/BLACK/GREY
/BRASS/COPPER



GLIMMER

COB Surface



BROWN(BN)



BRASS(BS)



WHITE(W)



BLACK(BK)



GUN BLACK(GB)



GREY(GY)

07
WATTS



12
WATTS



18
WATTS



24
WATTS



GLIMMER 7W ALT0676

WATT : 7W
DIMENSION : D58 x H57MM
CCT : WH/WW/NW
LUMENS : 650LM
BEAM ANGLE : 38°
COLOR : WHITE/BLACK
 /ROSE GOLD/GUN
 BLACK/BROWN/
 BRASS/GREY

GLIMMER 12W ALT0678

WATT : 12W
DIMENSION : D72 x H69MM
CCT : WH/WW/NW
LUMENS : 1100LM
BEAM ANGLE : 38°
COLOR : WHITE/BLACK
 /ROSE GOLD/GUN
 BLACK/BROWN/
 BRASS/GREY

GLIMMER 18W ALT0680

WATT : 18W
DIMENSION : D86 x H77MM
CCT : WH/WW/NW
 /TUNNABLE
LUMENS : 1600LM
BEAM ANGLE : 38°
COLOR : WHITE/BLACK
 /ROSE GOLD/GUN
 BLACK/BROWN/
 BRASS/GREY



GLIMMER 24W ALT0682

WATT : 24W
DIMENSION : D109 x H86MM
CCT : WH/WW/NW
 /TUNNABLE
LUMENS : 2200LM
BEAM ANGLE : 38°
COLOR : WHITE/BLACK
 /ROSE GOLD/GUN
 BLACK/BROWN/
 BRASS/GREY



SHIMMER

COB Surface



WHITE(W)



BLACK(BK)



GUN BLACK(GB)



ROSE GOLD(RG)



GOLD(G)



CHAMPAGNE GOLD(CG)

07

WATTS



12

WATTS



20

WATTS



30

WATTS



SHIMMER 7W
ALT0644-PKW
ALT0645-BLK

WATT : 7W
DIMENSION : D60 x H85MM
CCT : WH/WW/NW/5K
LUMENS : 700LM
BEAM ANGLE : 38°
COLOR : WHITE/BLACK

SHIMMER 12W
ALT0646-PKW
ALT0647-BLK

WATT : 12W
DIMENSION : D75 x H95MM
CCT : WH/WW/NW/5K
/TUNNABLE
LUMENS : 1200LM
BEAM ANGLE : 38°
COLOR : WHITE/BLACK

SHIMMER 20W
ALT0648-PKW
ALT0649-BLK

WATT : 20W
DIMENSION : D86 x H110MM
CCT : WH/WW/NW/5K
/TUNNABLE
LUMENS : 2000LM
BEAM ANGLE : 38°
COLOR : WHITE/BLACK

SHIMMER 30W
ALT0650-PKW
ALT0651-BLK

WATT : 30W
DIMENSION : D107 x H165MM
CCT : WH/WW/NW
LUMENS : 3000LM
BEAM ANGLE : 38°
COLOR : WHITE/BLACK

BRISK

COB Surface



WHITE(W)



BLACK(BK)



CHROME(CH)



ROSE GOLD(RG)

03
WATTS



07
WATTS



12
WATTS



18
WATTS



BRISK 3W
ALT0901

WATT : 3W
DIMENSION : D45 x H63MM
CCT : WW/NW
LUMENS : 270LM
BEAM ANGLE : 38°
COLOR : WHITE/BLACK
/CHROME/ROSE
GOLD

BRISK 7W
ALT0903

WATT : 7W
DIMENSION : D48 x H85MM
CCT : WW/NW
LUMENS : 630LM
BEAM ANGLE : 38°
COLOR : WHITE/BLACK
/CHROME/ROSE
GOLD

BRISK 12W
ALT0905

WATT : 12W
DIMENSION : D78 x H106MM
CCT : WW/NW
LUMENS : 1080LM
BEAM ANGLE : 38°
COLOR : WHITE/BLACK
/CHROME/ROSE
GOLD

BRISK 18W
ALT0907

WATT : 18W
DIMENSION : D85 x H112MM
CCT : WW/NW
LUMENS : 1620LM
BEAM ANGLE : 38°
COLOR : WHITE/BLACK
/CHROME/ROSE
GOLD

CACHE

COB Surface



CACHE RD 3W
ALTO631
COLOR : BLACK/WHITE
DIMENSION : D46*H57MM
CCT : WW / NW
LUMENS : 270LM
BEAM ANGLE : 38°



CACHE RD 7W
ALTO636
COLOR : BLACK/WHITE
DIMENSION : D55*H60MM
CCT : WW / NW
LUMENS : 560LM
BEAM ANGLE : 38°





CACHE RD 12W
ALTO638
COLOR : BLACK/WHITE
DIMENSION : D70*H70MM
CCT : WW / NW
LUMENS : 960LM
BEAM ANGLE : 38°



CACHE SQ 7W
ALTO661
COLOR : BLACK/WHITE
DIMENSION : L55*W55*H57MM
CCT : WW / NW / WH
LUMENS : 560LM
BEAM ANGLE : 38°



CACHE SQ 12W
ALTO663-PKW
COLOR : WHITE/BLACK
DIMENSION : L70*W70*H70MM
CCT : WW / NW / WH
LUMENS : 960LM
BEAM ANGLE : 38°



STRIKER 3W
ALTO944
DIMENSION : D58*H15MM
CCT : WW
COLOR : WHITE/BLACK/ROSE GOLD
/GUN BLACK

EVARA COB Surface



EVARA 7W
ALTO629
COLOR : WHITE/BLACK+GOLD
DIMENSION : D54*H61MM
CCT : WH/NW/WW
LUMENS : 700LM
BEAM ANGLE : 36°



EVARA 7W
ALTO630
COLOR : WHITE/BLACK+GOLD
DIMENSION : D73*H70MM
CCT : WH/NW/WW
LUMENS : 1200LM
BEAM ANGLE : 36°

VERVE COB Surface



VERVE 5W
ALTO671
COLOR : WHITE/BLACK
DIMENSION : D40*H63MM
CCT : WH/NW/WW
LUMENS : 500LM
BEAM ANGLE : 36°
REFLECTOR : WHITE/BLACK/GOLD



VERVE 10W
ALTO672
COLOR : WHITE/BLACK
DIMENSION : D60*H93MM
CCT : WH/NW/WW
LUMENS : 1000LM
BEAM ANGLE : 36°
REFLECTOR : WHITE/BLACK/GOLD



VERVE 15W
ALTO673
COLOR : WHITE/BLACK
DIMENSION : D75*H103MM
CCT : WH/NW/WW
LUMENS : 1500LM
BEAM ANGLE : 36°
REFLECTOR : WHITE/BLACK/GOLD




VERVE 20W
ALTO674
COLOR : WHITE/BLACK
DIMENSION : D86*H118MM
CCT : WH/NW/WW
LUMENS : 2000LM
BEAM ANGLE : 36°
REFLECTOR : WHITE/BLACK/GOLD


COB SURFACE




SHIMMER II SQ 7W
ALTO697
DIMENSION : L55*W55*H80MM
CCT : WW/NW/WH
LUMENS : 670LM
BEAM ANGLE : 38°
COLOR : WHITE+BLACK/ROSE GOLD
BLACK+BLACK/ROSE GOLD



SHIMMER II SQ 10W
ALTO698
DIMENSION : L75*W75*H95MM
CCT : WW/NW/WH
LUMENS : 1000LM
BEAM ANGLE : 38°
COLOR : WHITE+BLACK/ROSE GOLD
BLACK+BLACK/ROSE GOLD



SHIMMER II SQ 15W
ALTO699
DIMENSION : L95*W95*H105MM
CCT : WW/NW/WH
LUMENS : 1500LM
BEAM ANGLE : 38°
COLOR : WHITE+BLACK/ROSE GOLD
BLACK+BLACK/ROSE GOLD



SHIMMER II SQ 20W
ALTO700
DIMENSION : L110*W110*H115MM
CCT : WW/NW/WH
LUMENS : 2000LM
BEAM ANGLE : 38°
COLOR : WHITE+BLACK/ROSE GOLD
BLACK+BLACK/ROSE GOLD



ENCLAVE 20W
ALTO335
COLOR : WHITE/BLACK
DIMENSION : D80*H155MM
CCT : WW/NW/WH
LUMENS : 2000LM
BEAM ANGLE : 38°



ENCLAVE 30W
ALTO336
COLOR : WHITE/BLACK
DIMENSION : D110*H175MM
CCT : WW/NW/WH
LUMENS : 3000LM
BEAM ANGLE : 38°

IP65 SURFACE



AQUA 12W
ALTO337
COLOR : WHITE/BLACK
DIMENSION : D62*H75MM
CCT : WW/NW/WH
LUMENS : 1200LM
BEAM ANGLE : 36°



AQUA 18W
ALTO338
COLOR : WHITE/BLACK
DIMENSION : D83*H85MM
CCT : WW/NW/WH
LUMENS : 1800LM
BEAM ANGLE : 36°



AQUA 24W
ALTO339
COLOR : WHITE/BLACK
DIMENSION : D105*H103MM
CCT : WW/NW/WH
LUMENS : 2400LM
BEAM ANGLE : 36°



SLENDER 12W
ALTO627
DIMENSION : D80*H155MM
CCT : WW/NW
LUMENS : 1080LM
BEAM ANGLE : 38°
COLOR : BLACK/WHITE/GREY



SLENDER 20W
ALTO628
DIMENSION : D100*H158MM
CCT : WW/NW
LUMENS : 1800LM
BEAM ANGLE : 38°
COLOR : BLACK/WHITE/GREY

TILT SURFACE



SHEEN 7W
ALTO856
DIMENSION : D83*H55MM
CCT : WW / NW
LUMENS : 700LM
BEAM ANGLE : 38°
COLOR : WHITE/BLACK/BRASS
/ROSE GOLD/GUN BLACK



SHEEN 12W
ALTO853
DIMENSION : D88*H65MM
CCT : WW / NW
LUMENS : 1200LM
BEAM ANGLE : 38°
COLOR : WHITE/BLACK/BRASS
/ROSE GOLD/GUN BLACK



GLIMMER II 7W
ALTO346
COLOR : BLACK/WHITE
DIMENSION : D59*H77MM
CCT : WW / NW
LUMENS : 700LM
BEAM ANGLE : 90°



GLIMMER II 12W
ALTO347
COLOR : BLACK/WHITE
DIMENSION : D73*H91MM
CCT : WW / NW
LUMENS : 1200LM
BEAM ANGLE : 90°



GLIMMER II 18W
ALTO348
COLOR : WHITE/BLACK
DIMENSION : D88*H106MM
CCT : WW / NW
LUMENS : 1800LM
BEAM ANGLE : 90°

TILT SURFACE



GRILLE LIGHT 24W
ALT1181
COLOR : WHITE/BLACK
DIMENSION : L276*W119*H110MM
CCT : WW/NW
LUMENS : 2400LM
BEAM ANGLE : 60°



SWISH 7W
ALTO325
COLOR : WHITE/BLACK
DIMENSION : L40*W117*H90MM
CCT : WW/NW
LUMENS : 700LM
BEAM ANGLE : 36°



SWISH 15W
ALTO326
COLOR : WHITE/BLACK
DIMENSION : L60*W150*H120MM
CCT : WW/NW
LUMENS : 1500LM
BEAM ANGLE : 36°



SWISH 24W
ALTO327
COLOR : WHITE/BLACK
DIMENSION : L70*W165*H123MM
CCT : WW/NW
LUMENS : 2400LM
BEAM ANGLE : 36°



JAZZ 10W
ALTO340
COLOR : WHITE/BLACK
DIMENSION : D60*H70MM
CCT : WW/NW
CUTOUT : D50MM
LUMENS : 1000LM
BEAM ANGLE : 36°



JAZZ 10W
ALTO341
COLOR : WHITE/BLACK
DIMENSION : D50*H70MM
CCT : WW/NW
LUMENS : 1000LM
BEAM ANGLE : 36°

TILT SURFACE



MAGNUM WALL SPOT 8W
ALT1043

DIMENSION : D45*H160MM
CCT : WW/NW
LUMENS : 640LM
BEAM ANGLE : 24°
COLOR : WHITE/BLACK/GUN BLACK
/ROSE GOLD/CHROME/BRASS



MAGNUM WALL SPOT 15W
ALT1044

DIMENSION : D45*H180MM
CCT : WW/NW
LUMENS : 1200LM
BEAM ANGLE : 24°
COLOR : WHITE/BLACK/GUN BLACK
/ROSE GOLD/CHROME/BRASS



MAGNUM RECESSED 8W
ALT1045

DIMENSION : D45*H160MM
CCT : WW/NW
LUMENS : 640LM
BEAM ANGLE : 24°
COLOR : WHITE/BLACK/GUN BLACK
/ROSE GOLD/CHROME/BRASS



MAGNUM RECESSED 15W
ALT1046

DIMENSION : D45*H180MM
CCT : WW/NW
LUMENS : 1200LM
BEAM ANGLE : 24°
COLOR : WHITE/BLACK/GUN BLACK
/ROSE GOLD/CHROME/BRASS



MAGNUM BASE HANGING 8W
ALT1038

DIMENSION : D45*H160MM
CCT : WW/NW
LUMENS : 640LM
BEAM ANGLE : 24°
COLOR : WHITE/BLACK/GUN BLACK
/ROSE GOLD/CHROME/BRASS



VITO 7W
ALT1071

COLOR : BLACK
DIMENSION : D38*H140MM
CCT : WW/NW
BEAM ANGLE : 24°

RIPPLE SERIES

12V 2835 Series



12V/10W/120LEDS
ALTO430
NO OF LEDS : 120LEDS/MTR
CCT : 2700K/3500K/4000K/5000K
6000K/BLUE/AMBER/ICE BLUE
LENGTH : 5MTR **WIDTH :** 8MM
LUMENS/LED : 26-28LM
BEAM ANGLE : 120°



12V/10W/120LEDS/5MM
ALTO431
NO OF LEDS : 120LEDS/MTR
CCT : 2700K/3500K/4000K/5000K
6000K/BLUE
LENGTH : 5MTR **WIDTH :** 5MM
LUMENS/LED : 26-28LM
BEAM ANGLE : 120°



12V/18W/180LEDS
ALTO432
NO OF LEDS : 180LEDS/MTR
CCT : 2700K/4000K/6500K
/BLUE
LENGTH : 5MTR **WIDTH :** 10MM
LUMENS/LED : 26-28LM
BEAM ANGLE : 120°



12V/18W/180LEDS/5MM
ALTO440
NO OF LEDS : 180LEDS/MTR
CCT : 2700K/4000K/6500K
LENGTH : 5MTR **WIDTH :** 5MM
LUMENS/LED : 26-28LM
BEAM ANGLE : 120°



12V/24W/240LEDS
ALTO434
NO OF LEDS : 240LEDS/MTR
CCT : 2700K/3500K/4000K/6500K
LENGTH : 5MTR **WIDTH :** 10MM
LUMENS/LED : 26-28LM
BEAM ANGLE : 120°

RIPPLE SERIES

12V 2835 Waterproof



12V/10W/120LEDS
ALTO430WP
NO OF LEDS : 120LEDS/MTR
CCT : WW
LENGTH : 5MTR WIDTH : 8MM
LUMENS/LED : 26-28LM
BEAM ANGLE : 120°



12V/18W/180LEDS
ALTO432WP
NO OF LEDS : 180LEDS/MTR
CCT : WW
LENGTH : 5MTR WIDTH : 10MM
LUMENS/LED : 26-28LM
BEAM ANGLE : 120°



12V/24W/240LEDS
ALTO434WP
NO OF LEDS : 240LEDS/MTR
CCT : WW
LENGTH : 5MTR WIDTH : 10MM
LUMENS/LED : 26-28LM
BEAM ANGLE : 120°



NEON/12V/10W
ALTO482
CCT : WW/BLUE/AMBER/PURPLE
LENGTH : 5MTR WIDTH : 10MM
LUMENS/LED : 26-28LM
BEAM ANGLE : 120°

NEW ARRIVALS



24V/24W/42LEDS/20MM
ALTO449
NO OF LEDS : 42LEDS/MTR
CCT : 3000K
LENGTH : 5MTR WIDTH : 20MM
LUMENS/LED : 100LM

RIPPLE SERIES

24V Strip Series




24V/10W/120LEDS
ALTO442
NO OF LEDS : 120LEDS/MTR
CCT : 2700K/4000K/6500K
LENGTH : 5MTR **WIDTH :** 8MM
LUMENS /LED - 26-28LM
BEAM ANGLE : 120°



24V/24W/240LEDS
ALTO448
NO OF LEDS : 240LEDS/MTR
CCT : 2700K/4000K/6500K
LENGTH : 5MTR **WIDTH :** 10MM
LUMENS /LED - 26-28LM
BEAM ANGLE : 120°



24V/24W/240LEDS/15MM
ALTO441
NO OF LEDS : 240LEDS/MTR
CCT : 2700K/4000K/6500K
LENGTH : 5MTR **WIDTH :** 15MM
LUMENS /LED - 26-28LM
BEAM ANGLE : 120°



24V/15W/192LEDS/TUNNABLE
ALTO439
NO OF LEDS : 192LEDS/MTR
CCT : 2700K-6500K
LENGTH : 5MTR **WIDTH :** 10MM
LUMENS /LED - 26-28LM
BEAM ANGLE : 120°



8W/320LEDS
ALTO483
NO OF LEDS : 320LEDS/MTR
CCT : WW/WH/NW
LENGTH : 5MTR **WIDTH :** 10MM
LUMENS/LED : 26-28LM
BEAM ANGLE : 120°

NEW ARRIVALS



5050/24V/60LEDS/RGB+CCT
ALTO450
NO OF LEDS : 60LEDS/MTR
CCT : RGB+(2700K-6500K)
LENGTH : 5MTR **WIDTH :** 12MM
LUMENS/LED : 26-28LM
BEAM ANGLE : 120°

PLATO SMPS 12V



PLATO 36W
ALTO401
WATT : 36W
DIMENSION : D100*L40*H22
AMPS : 12V 3A



PLATO 60W
ALTO402
WATT : 60W
DIMENSION : D113*L50*H22
AMPS : 12V 5A



PLATO 120W
ALTO403
WATT : 120W
DIMENSION : D138*L50*H22
AMPS : 12V 10A



PLATO 150W
ALTO404
WATT : 150W
DIMENSION : D178*L50*H22
AMPS : 12V 12.5A



PLATO 200W
ALTO405
WATT : 200W
DIMENSION : D178*L50*H22
AMPS : 12V 16.7A



PLATO 300W
ALTO406
WATT : 300W
DIMENSION : D205*L50*H22
AMPS : 12V 25A

PLATO 12V SERIES



PLATO 400W
ALTO407
DIMENSION : D238*L50*H22
AMPS : 12V 33.3A

PLATO 24V SERIES



PLATO 60W
ALTO408
DIMENSIONS : D113*L50*H22
AMPS : 24V 2.5A



PLATO 250W
ALTO409
DIMENSIONS : D178*L50*H22
AMPS : 24V 10A



PLATO 300W
ALTO410
DIMENSIONS : D205*L50*H22
AMPS : 24V 12.5A



PLATO 400W
ALTO411
DIMENSIONS : D238*L50*H22
AMPS : 24V 16.65A

PLATO 48V SERIES



PLATO 100W
ALTO412
DIMENSIONS : D138*L50*H22
AMPS : 48V 2.08A



PLATO 200W
ALTO413
DIMENSIONS : D178*L50*H22
AMPS : 48V 4.16A



PLATO 300W
ALTO414
DIMENSIONS : D205*L50*H22
AMPS : 48V 6.25A

METTLE SERIES 12V



METTLE 25W
ALTO443
DIMENSION : D80*L47*H20
AMPS : 12V 2AMPS



METTLE 60W
ALTO444
DIMENSION : D149*L35*H22
AMPS : 12V 5AMPS



METTLE 120W
ALTO445
DIMENSION : D146*L48*H24
AMPS : 12V 10AMPS



METTLE 150W
ALTO446
DIMENSIONS : D183*L48*H24
AMPS : 12V 12.5AMPS



METTLE 200W
ALTO447
DIMENSIONS : D200*L48*H24
AMPS : 12V 16.5AMPS

METTLE SERIES 24V



METTLE 120W
ALTO444-24V
DIMENSIONS : D163*L53*H22
AMPS : 24V 5AMPS



METTLE 250W
ALTO445-24V
DIMENSIONS : D241*L53*H22
AMPS : 24V 10AMPS



METTLE 360W
ALTO447-24V
DIMENSIONS : D255*L53*H22
AMPS : 24V 15AMPS

SLOW START SERIES 12V



SLOW START 100W
ALTO425
DIMENSIONS : D144*L47*H24
AMPS : 12V 8.3AMPS



SLOW START 150W
ALTO426
DIMENSIONS : D180*L47*H24
AMPS : 12V 12.5AMPS



SLOW START 200W
ALTO427
DIMENSIONS : D207*L47*H24
AMPS : 12V 16.6AMPS

MINI SERIES 12V



MINI SERIES 24W
ALTO455
DIMENSION : D190*L20*H20
AMPS : 2 AMPS



MINI SERIES 48W
ALTO456
DIMENSION : D240*L20*H20
AMPS : 4 AMPS



MINI SERIES 72W
ALTO457
DIMENSION : D290*L20*H20
AMPS : 6 AMPS

CABINET SERIES 12V



CABINET SERIES 60W
ALTO423
DIMENSIONS : W165*H55
AMPS : 12V 5A



CABINET SERIES 100W
ALTO424
DIMENSIONS : W195*H55
AMPS : 12V 8.3A

12V DIMMABLE SERIES TRIAC/0-10V



DIMMABLE SERIES 150W
ALTO421
DIMENSIONS : D287*L50*H30
AMPS : 12V 12.5A



DIMMABLE SERIES 250W
ALTO422
DIMENSIONS : D287*L50*H30
AMPS : 12V 20A

WATERPROOF SERIES 12V



WATERPROOF 24W
ALTO478
DIMENSIONS : D180*L28*H20
AMPS : 2 AMPS




WATERPROOF 60W
ALTO479
DIMENSIONS : D148*L36*H21
AMPS : 5 AMPS




WATERPROOF 120W
ALTO480
DIMENSIONS : D196*L52*H20
AMPS : 10 AMPS


PROFILE SERIES




REGULAR PROFILE
ALTP101
APPLICATION : SURFACE
DIMENSION : 17.4*D12.2MM
STANDARD LENGTH : 2M




REGULAR PROFILE
ALTP102
APPLICATION : CONCEAL
DIMENSION : 24.4*D12.2MM
STANDARD LENGTH : 2M




REGULAR PROFILE
ALTP103
APPLICATION : CONCEAL
DIMENSION : 24.7*D7MM
STANDARD LENGTH : 2M



REGULAR PROFILE
ALTP104
APPLICATION : SURFACE
DIMENSION : 17.4*D7MM
STANDARD LENGTH : 2M



REGULAR PROFILE
ALTP105
APPLICATION : SURFACE
DIMENSION : 13.2*D7MM
STANDARD LENGTH : 2M



REGULAR PROFILE
ALTP106
APPLICATION : CORNER
DIMENSION : 15.8*D15.8MM
STANDARD LENGTH : 2M




REGULAR PROFILE
ALTP107
APPLICATION : CORNER
DIMENSION : 19.4*D19MM
STANDARD LENGTH : 2M




REGULAR PROFILE
ALTP108
APPLICATION : SURFACE
DIMENSION : 19.3*D13MM
STANDARD LENGTH : 2M

RECESSED PROFILE



REGULAR PROFILE
ALTP110
APPLICATION : CONCEAL
DIMENSION : 30.3*D9.8MM
STANDARD LENGTH : 2M



RECESSED PROFILE
ALTP125
APPLICATION : CONCEAL
DIMENSION : 41*H10MM
STANDARD LENGTH : 2M




RECESSED PROFILE
ALTP114
APPLICATION : CONCEAL
DIMENSION : 36.1*D27.6MM
STANDARD LENGTH : 2M



RECESSED PROFILE
ALTP115
APPLICATION : CONCEAL
DIMENSION : 35*D28.8MM
STANDARD LENGTH : 2M




RECESSED PROFILE
ALTP116
APPLICATION : CONCEAL
DIMENSION : 50*D35MM
STANDARD LENGTH : 2M



RECESSED PROFILE
ALTP126
APPLICATION : CONCEAL
DIMENSION : 65*H20MM
STANDARD LENGTH : 2M




RECESSED PROFILE
ALTP127
APPLICATION : CONCEAL
DIMENSION : 65*D32MM
STANDARD LENGTH : 2M




RECESSED PROFILE
ALTP128
APPLICATION : CONCEAL
DIMENSION : 91.4*D35MM
STANDARD LENGTH : 2M

SURFACE PROFILE




SURFACE PROFILE
ALTP109
APPLICATION : SURFACE
DIMENSION : 23.5*H9.8MM
STANDARD LENGTH : 2M




SURFACE PROFILE
ALTP113
APPLICATION : SURFACE
DIMENSION : 30*H10MM
STANDARD LENGTH : 2M




SURFACE PROFILE
ALTP111
APPLICATION : SURFACE
DIMENSION : 20*H20MM
STANDARD LENGTH : 2M



SURFACE PROFILE
ALTP117
APPLICATION : SURFACE
DIMENSION : 35*H34.8MM
STANDARD LENGTH : 2M



SURFACE PROFILE
ALTP121
APPLICATION : SURFACE
DIMENSION : 30*H30MM
STANDARD LENGTH : 2M



SURFACE PROFILE
ALTP122
APPLICATION : SURFACE
DIMENSION : 50*H20MM
STANDARD LENGTH : 2M




SURFACE PROFILE
ALTP123
APPLICATION : SURFACE
DIMENSION : D76.2*H35MM
STANDARD LENGTH : 2M




SURFACE PROFILE
ALTP124
APPLICATION : HANGING
DIMENSION : 50*H70MM
STANDARD LENGTH : 2M

TRIMLESS PROFILE




TRIMLESS PROFILE
ALTP129
APPLICATION : CONCEAL
DIMENSION : 48.5*80.7
STANDARD LENGTH : 2M
COLOR : WHITE




TRIMLESS PROFILE
ALTP130
APPLICATION : CONCEAL
DIMENSION : 28.8*41.8
STANDARD LENGTH : 2M
COLOR : WHITE




TRIMLESS PROFILE
ALTP131
APPLICATION : CONCEAL
DIMENSION : 26.4*98.2
STANDARD LENGTH : 2M
COLOR : WHITE




TRIMLESS PROFILE
ALTP132
APPLICATION : CONCEAL
DIMENSION : 11.5*19.8
STANDARD LENGTH : 2M




TRIMLESS PROFILE
ALTP133
APPLICATION : CONCEAL
DIMENSION : 9.1*19.8
STANDARD LENGTH : 2M



TRIMLESS PROFILE
ALTP134
APPLICATION : CONCEAL
DIMENSION : 9.1*30
STANDARD LENGTH : 2M




TRIMLESS PROFILE
ALTP135
APPLICATION : CONCEAL
DIMENSION : 9.1*12.3
STANDARD LENGTH : 2M



TRIMLESS PROFILE
ALTP136
APPLICATION : CONCEAL
DIMENSION : 20*12.3
STANDARD LENGTH : 2M


CABINET PROFILE




CABINET PROFILE
ALTP112
APPLICATION : SURFACE
DIMENSION : 10*D13MM
STANDARD LENGTH : 2M




CABINET PROFILE
ALTP120
APPLICATION : CONCEAL
DIMENSION : 13*D10MM
STANDARD LENGTH : 2M




CABINET PROFILE
ALTP137
APPLICATION : CONCEAL
DIMENSION : 9.6*12.9
STANDARD LENGTH : 2M




CABINET PROFILE
ALTP138
APPLICATION : CONCEAL
DIMENSION : 8.89*14.7
STANDARD LENGTH : 2M




CABINET PROFILE
ALTP139
COLOR : AL/BLACK
APPLICATION : CONCEAL
DIMENSION : 8*23.8
STANDARD LENGTH : 2M




CABINET PROFILE
ALTP140
APPLICATION : CONCEAL
DIMENSION : 8*21.1
STANDARD LENGTH : 2M




CABINET PROFILE
ALTP141
APPLICATION : SURFACE
DIMENSION : 23.32*11.65
STANDARD LENGTH : 2M



CABINET PROFILE
ALTP142
APPLICATION : CONCEAL
DIMENSION : 10.7*17.31
STANDARD LENGTH : 2M



CABINET PROFILE
ALTP143
APPLICATION : SURFACE
DIMENSION : 9*13
STANDARD LENGTH : 2M
COLOR : BRASS



CABINET PROFILE
ALTP144
APPLICATION : CONCEAL
DIMENSION : 9*21
STANDARD LENGTH : 2M
COLOR : BRASS




CABINET PROFILE
ALTP145
APPLICATION : CONCEAL
DIMENSION : 9.7*13.5
STANDARD LENGTH : 2M




CABINET GLASS PROFILE
ALTP146
APPLICATION : SURFACE
DIMENSION : 17.46*11.16
STANDARD LENGTH : 2M


CABINET PROFILE



**CABINET GLASS PROFILE
ALTP147**
APPLICATION : SURFACE
DIMENSION : 16.6*30.95
STANDARD LENGTH : 2M



**CABINET PROFILE
ALTP148**
APPLICATION : CORNER
DIMENSION : 8.1*8.7
STANDARD LENGTH : 2M




**CABINET PROFILE
ALTP152**
APPLICATION : SUSPENSION
DIMENSION : 20.51*20.7
STANDARD LENGTH : 2M


NEW ARRIVALS




**CABINET PROFILE
ALTP154**
APPLICATION : CONCEAL
BODY COLOR : GREY
DIMENSION : 8.2*H17.8MM
STANDARD LENGTH : 2M



**CABINET PROFILE
ALTP155**
APPLICATION : CONCEAL
BODY COLOR : GREY
DIMENSION : 5.4*H9MM
STANDARD LENGTH : 2M




**CABINET PROFILE
ALTP156**
APPLICATION : CONCEAL
BODY COLOR : GREY
DIMENSION : 17.7*H8.6MM
STANDARD LENGTH : 2M



**CABINET PROFILE
ALTP153**
APPLICATION : SURFACE
BODY COLOR : GREY
DIMENSION : 22.8*H8MM
STANDARD LENGTH : 2M


FLOOR PROFILE



**FLOOR PROFILE
ALTP149**
APPLICATION : FLOOR
DIMENSION : 21.3*25.8
STANDARD LENGTH : 2M




**FLOOR PROFILE
ALTP150**
APPLICATION : FLOOR
DIMENSION : 21*10.65
STANDARD LENGTH : 2M



**SKIRTING PROFILE
ALTP151**
APPLICATION : SKIRTING
DIMENSION : 13.5*64.3
STANDARD LENGTH : 2M
COLOR : GREY

LINEO

Linear Lights



LINEO 7550 48W
ALT0330
COLOR : WHITE/BLACK

WATT : 48W
DIMENSION : L1200*W50*H75MM
CCT : WW/NW/WH/TUNNABLE
LUMENS : 4800LM
BEAM ANGLE : 110°

LINEO 7550 96W
ALT0330A
COLOR : WHITE/BLACK



WATT : 96W
DIMENSION : L2400*W50*H75MM
CCT : WW/NW/WH/TUNNABLE
LUMENS : 9600LM
BEAM ANGLE : 110°

LINEO 7550 144W
ALT0330B
COLOR : WHITE/BLACK

WATT : 144W
DIMENSION : L3600*W50*H75MM
CCT : WW/NW/WH/TUNNABLE
LUMENS : 14400LM
BEAM ANGLE : 100°

***CAN BE CUSTOMIZES AS PER YOUR DESIGN**

SKYLINE Strip Lights



SKYLINE STRIP
COLOR : BLACK
DIMENSION : 5MTR

Note: LED Strip and Driver will be extra as per the intensity required.

PENDANT HANGING



TRIO 18W
TRIO 400
COLOR : WHITE/BLACK
DIMENSION : D400*H70MM
CCT : WW / NW / WH
LUMENS : 1440LM
BEAM ANGLE : 110°

TRIO 36W
TRIO 600
COLOR : WHITE/BLACK
DIMENSION : D600*H70MM
CCT : WW / NW / WH
LUMENS : 2880LM
BEAM ANGLE : 110°



AMOEBA 36W
AMOEBA 900
COLOR : WHITE/BLACK
DIMENSION : L900*W300*H70MM
CCT : WW / NW / WH
LUMENS : 2880LM
BEAM ANGLE : 110°



DONUT 24W
DONUT 400
COLOR : WHITE/BLACK
DIMENSION : L400*W100*H70MM
CCT : WW / NW / WH
LUMENS : 1920LM
BEAM ANGLE : 110°

PENDANT HANGING



HEXA 36W
HEXA 400
COLOR : WHITE/BLACK
DIMENSION : D400*H70MM
CCT : WW / NW / WH
LUMENS : 2880LM
BEAM ANGLE : 110°

HEXA 48W
HEXA 600
COLOR : WHITE/BLACK
DIMENSION : D600*H70MM
CCT : WW / NW / WH
LUMENS : 3840LM
BEAM ANGLE : 110°



HALO 24W
HALO 400
COLOR : WHITE/BLACK
DIMENSION : L400*W100*H70MM
CCT : WW / NW / WH
LUMENS : 1920LM
BEAM ANGLE : 110°

HALO 48W
HALO 600
COLOR : WHITE/BLACK
DIMENSION : L600*W100*H70MM
CCT : WW / NW / WH
LUMENS : 3840LM
BEAM ANGLE : 110°



OPEN 48W
OPEN 600
COLOR : WHITE/BLACK
DIMENSION : L600*W100*H70MM
CCT : WW / NW / WH
LUMENS : 3840LM
BEAM ANGLE : 110°



Y 24W
Y 600
COLOR : WHITE/BLACK
DIMENSION : L600*W100*H70MM
CCT : WW / NW / WH
LUMENS : 1920LM
BEAM ANGLE : 110°

FLORA

Reading Light



FLORA
ALTO293
COLOR : WHITE/BLACK
DIMENSION : L80*W65*H400MM
CCT : WW
LUMENS : 270LM
BEAM ANGLE : 38°



FLORA
ALTO294
COLOR : WHITE/BLACK
DIMENSION : L80*W65*H400MM
CCT : WW
LUMENS : 270LM
BEAM ANGLE : 38°



FLORA
ALTO294A
COLOR : WHITE/BLACK
DIMENSION : L35*W35*H450MM
CCT : WW
LUMENS : 270LM
BEAM ANGLE : 38°

GARDEN SPIKE



GARDEN SPIKE 3W
ALTO555
COLOR : GRAPHITE GREY
DIMENSION : L45*W68*H250MM
CCT : WW
LUMENS : 240LM
BEAM ANGLE : 40°



GARDEN SPIKE 7W
ALTO556
COLOR : GRAPHITE GREY
DIMENSION : L66*W100*H300MM
CCT : WW
LUMENS : 560LM
BEAM ANGLE : 40°



GARDEN SPIKE 12W
ALTO558
COLOR : GRAPHITE GREY
DIMENSION : L66*W100*H300MM
CCT : WW
LUMENS : 960LM
BEAM ANGLE : 40°



GARDEN SPIKE 7W
ALTO557
COLOR : GRAPHITE GREY
DIMENSION : D66*H100MM
CCT : WW
LUMENS : 560LM
BEAM ANGLE : 40°

OUTDOOR Wall Light




OUTDOOR 1W x 2
ALT0941
COLOR : WHITE/GREY
DIMENSION : L50*W45*H45MM
CCT : WW



OUTDOOR 1W x 2
ALT0930
COLOR : WHITE/GREY
DIMENSION : L50*W55*H50MM
CCT : WW



OUTDOOR 1W x 2
ALT0931
COLOR : WHITE/GREY
DIMENSION : L60*W55*H50MM
CCT : WW



OUTDOOR 1W x 2
ALT0979
COLOR : WHITE/GREY
DIMENSION : L42*W32*H35MM
CCT : WW



OUTDOOR 1W x 2
ALT0966
COLOR : WHITE/GREY
DIMENSION : L42*W32*H35MM
CCT : WW




OUTDOOR 1W x 4
ALT0931A
COLOR : WHITE/GREY
DIMENSION : L70*W70*H50MM
CCT : WW


OUTDOOR Wall Light



OUTDOOR 1W x 4
ALT0971
COLOR : WHITE/GREY
DIMENSION : L45*W45*H45MM
CCT : WW



OUTDOOR 1W x 4
ALT0964
COLOR : WHITE/GREY
DIMENSION : L40*W40*H40MM
CCT : WW




OUTDOOR 1W x 4
ALT0967
COLOR : WHITE/GREY
DIMENSION : L50*W50*H30MM
CCT : WW



OUTDOOR 1W x 6
ALT0981
COLOR : WHITE/GREY
CCT : WW



OUTDOOR 1W x 1
ALT0972
COLOR : WHITE/GREY
DIMENSION : D45*H60MM
CCT : WW



OUTDOOR 1W x 2
ALT0973
COLOR : WHITE/GREY
DIMENSION : D43*H59MM
CCT : WW

OUTDOOR Wall Light



OUTDOOR 1W x 2
ALTO965
COLOR : WHITE/GREY
DIMENSION : D43*H59MM
CCT : WW



OUTDOOR 1W x 1
ALTO974
COLOR : WHITE/GREY
DIMENSION : L25*W25*H70MM
CCT : WW



OUTDOOR 1W x 2
ALTO975
COLOR : WHITE/GREY
DIMENSION : L25*W25*H70MM
CCT : WW



OUTDOOR 3W x 1
ALTO976
COLOR : WHITE/GREY
DIMENSION : L25*W25*H72MM
CCT : WW



OUTDOOR 3W x 2
ALTO977
COLOR : WHITE/GREY
DIMENSION : L25*W25*H83MM
CCT : WW



OUTDOOR 3W x 2
ALTO978
COLOR : WHITE/GREY
DIMENSION : L25*W25*H125MM
CCT : WW

OUTDOOR Wall Light



OUTDOOR 1W x 2
ALT0980
COLOR : WHITE/GREY
DIMENSION : L42*W32*H35MM
CCT : WW



OUTDOOR 1W x 4
ALT0968
COLOR : WHITE/GREY
DIMENSION : L35*W20*H96MM
CCT : WW



OUTDOOR 1W x 6
ALT0969
COLOR : GREY
DIMENSION : L35*W20*H203MM
CCT : WW



OUTDOOR 3W x 2
ALT0959
COLOR : GREY
DIMENSION : L85*W56*H60MM
CCT : WW



OUTDOOR 3W x 2
ALT0960
COLOR : GREY
DIMENSION : L74*W50*H142MM
CCT : WW



OUTDOOR 3W x 2
ALT0961
COLOR : GREY
DIMENSION : L74*W50*H142MM
CCT : WW

OUTDOOR Wall Light



OUTDOOR 5W x 2
ALT0962
COLOR : BROWN
DIMENSION : L90*W56*H116MM
CCT : WW



OUTDOOR 8W x 2
ALT0963
COLOR : BROWN
DIMENSION : L107*W70*H138MM
CCT : WW



OUTDOOR 3W x 2
ALT0942
COLOR : GREY
DIMENSION : L60*W40*H120MM
CCT : WW



OUTDOOR 3W x 2
ALT0943
COLOR : GREY
DIMENSION : L60*W40*H120MM
CCT : WW




OUTDOOR 3W x 2
ALT0596
COLOR : SAND GREY
DIMENSION : D90*H138MM
CCT : WW

OUTDOOR Wall Light



OUTDOOR 6w
ALT0933
COLOR : GREY
DIMENSION : D117*H17MM
CCT : WW



OUTDOOR 6w
ALT0934
COLOR : GREY
DIMENSION : D117*H17MM
CCT : WW



OUTDOOR 12W
ALT0542
COLOR : SAND GREY
DIMENSION : D110*H110MM
CCT : WW



OUTDOOR 12W
ALT0543
COLOR : SAND GREY
DIMENSION : D110*H110MM
CCT : WW



OUTDOOR 3W
ALT0529
COLOR : STONE GREY
DIMENSION : 160MM
CCT : WW

OUTDOOR Wall Light



OUTDOOR 5W
ALT0533
COLOR : GREY
DIMENSION : L67*W75*H80MM
CCT : WW



OUTDOOR 5W x 2
ALT0534
COLOR : GREY
DIMENSION : L66*W76*H155MM
CCT : WW



OUTDOOR 5W
ALT0535
COLOR : GREY
DIMENSION : L67*W75*H80MM
CCT : WW



OUTDOOR 5W x 2
ALT0536
COLOR : GREY
DIMENSION : L66*W76*H155MM
CCT : WW



OUTDOOR 5W x 2
ALT0520
COLOR : WHITE/BLACK/GREY
DIMENSION : D43*H59MM
CCT : WW

OUTDOOR Wall Light




OUTDOOR 14W
ALTO937
COLOR : SAND GREY
DIMENSION : D90*H138MM
CCT : WW



OUTDOOR 14W
ALTO938
COLOR : SAND GREY
DIMENSION : D90*H138MM
CCT : WW



OUTDOOR 18W
ALTO523
COLOR : DARK GREY
DIMENSION : L90*W65*H220MM
CCT : WW



OUTDOOR 18W
ALTO527
COLOR : DARK GREY
DIMENSION : L70*W105*H220MM
CCT : WW



OUTDOOR 12W
ALTO528
COLOR : DARK GREY
DIMENSION : D65*H230MM
CCT : WW

OUTDOOR Wall Light




OUTDOOR 18W
ALT0570
COLOR : DARK GREY
DIMENSION : L220*W67*H110MM
CCT : WW




OUTDOOR 12W
ALT0561
COLOR : DARK GREY
DIMENSION : L220*W67*H55MM
CCT : WW




OUTDOOR 9W
ALT0558S
COLOR : DARK GREY
DIMENSION : L78*W125*H125MM
CCT : WW



OUTDOOR 9W x 2
ALT0558D
COLOR : DARK GREY
DIMENSION : L78*W125*H360MM
CCT : WW




OUTDOOR 6W
ALT0594RD
COLOR : DARK GREY
DIMENSION : D171*H171MM
CCT : WW



OUTDOOR 6W
ALT0594SQ
COLOR : DARK GREY
DIMENSION : L171*W171*H171MM
CCT : WW

OUTDOOR Wall Light




OUTDOOR 12W
ALT0548
COLOR : DARK GREY
DIMENSION : D220*H55MM
CCT : WW




OUTDOOR 12W x 2 +12W
ALT0571
COLOR : STEEL
DIMENSION : L200*W70*H110MM
CCT : WW




OUTDOOR 6W x 2
ALT0587
COLOR : DARK GREY
DIMENSION : L80*W84*H180MM
CCT : WW



OUTDOOR 6W x 2
ALT0586
COLOR : DARK GREY
DIMENSION : L180*W73*H150MM
CCT : WW




OUTDOOR 3W x 2
ALT0585
COLOR : DARK GREY
DIMENSION : L75*W57*H190MM
CCT : WW




OUTDOOR 9W x 2
ALT0998
COLOR : DARK GREY
DIMENSION : L112*W55*H137MM
CCT : WW


OUTDOOR Wall Light




OUTDOOR 12W
ALT0572WL
COLOR : DARK GREY
DIMENSION : L170*W212*H340MM
CCT : WW



OUTDOOR 18W
ALT0572FL1
COLOR : DARK GREY
DIMENSION : D170*H225MM
CCT : WW



OUTDOOR 18W
ALT0572FL2
COLOR : DARK GREY
DIMENSION : D170*H300MM
CCT : WW




OUTDOOR 18W
ALT0572CL
COLOR : DARK GREY
DIMENSION : D170*H135MM
CCT : WW




BOLLARD 12W
ALT0572BL
COLOR : DARK GREY
DIMENSION : D170*H1000MM
CCT : WW


OUTDOOR Wall Light



OUTDOOR 12W
ALT0576WL
COLOR : DARK GREY
DIMENSION : L201*W261*H218MM
CCT : WW




OUTDOOR 12W
ALT0575WL
COLOR : DARK GREY
DIMENSION : L201*W261*H221MM
CCT : WW




BOLLARD 12W
ALT0575BL
COLOR : DARK GREY
DIMENSION : L201*W201*H600MM
CCT : WW



BOLLARD 12W
ALT0576BL
COLOR : DARK GREY
DIMENSION : D201*H600MM
CCT : WW




BOLLARD 12W
ALT0577BL80
COLOR : DARK GREY
DIMENSION : D180*H800MM
CCT : WW




BOLLARD 12W
ALT0577BL60
COLOR : DARK GREY
DIMENSION : D180*H600MM
CCT : WW


OUTDOOR Wall Light




OUTDOOR 8W
ALT0573WL
COLOR : DARK GREY
DIMENSION : L100*W91*H145MM
CCT : WW



OUTDOOR 8W
ALT0574WL
COLOR : DARK GREY
DIMENSION : L100*W95*H145MM
CCT : WW




OUTDOOR 6W x 2
ALT0592
COLOR : DARK GREY
DIMENSION : L105*W92*H200MM
CCT : WW



OUTDOOR 6W x 2
ALT0593
COLOR : DARK GREY
DIMENSION : L105*W104*H200MM
CCT : WW




BOLLARD 8W
ALT0573BL
COLOR : DARK GREY
DIMENSION : L100*W120*H750MM
CCT : WW




BOLLARD 8W
ALT0574BL
COLOR : DARK GREY
DIMENSION : L100*W124*H750MM
CCT : WW


OUTDOOR Bollard



BOLLARD 12W
ALT0580BL80
COLOR : DARK GREY
DIMENSION : D172*H800MM
CCT : WW




BOLLARD 12W
ALT0580BL60
COLOR : DARK GREY
DIMENSION : D172*H600MM
CCT : WW



BOLLARD 12W
ALT0544
COLOR : DARK GREY
DIMENSION : D150*H600MM
CCT : WW



BOLLARD 12W x 2
ALT0545
COLOR : DARK GREY
DIMENSION : D350*H600MM
CCT : WW




BOLLARD 18W
ALT0549
COLOR : DARK GREY
DIMENSION : D260*H600MM
CCT : WW

OUTDOOR

Bollard



BOLLARD 12W
ALT0562
COLOR : DARK GREY
DIMENSION : L140*W140*H300MM
CCT : WW



BOLLARD 12W
ALT0563
COLOR : DARK GREY
DIMENSION : L140*W140*H600MM
CCT : WW



BOLLARD 12W
ALT0564
COLOR : DARK GREY
DIMENSION : L140*W140*H800MM
CCT : WW




WALL WASHER 24W
ALT0721
COLOR : STONE GREY
DIMENSION : L600*W46.5*H70MM
CCT : WW/AMBER/GR/BL/RGB




WALL WASHER 36W
ALT0722
COLOR : STONE GREY
DIMENSION : L900*W46.5*H70MM
CCT : WW/AMBER/GR/BL/RGB

OUTDOOR Foot Light



FOOT LIGHT 1W x 1
ALTO991
COLOR : GREY
DIMENSION : D35*H45MM
CCT : WW
CUTOUT : 40MM



FOOT LIGHT 1W x 1
ALTO992
COLOR : GREY
DIMENSION : D35*H45MM
CCT : WW
CUTOUT : 40MM



FOOT LIGHT 2W
ALTO547
COLOR : GREY
DIMENSION : D114*H114MM
CCT : WW



FOOT LIGHT 4W
ALTO546
COLOR : GREY
DIMENSION : D114*H170MM
CCT : WW



FOOT LIGHT 6W
ALTO550
COLOR : GREY
DIMENSION : D114*H220MM
CCT : WW

OUTDOOR Burial Light



BURIAL 2WAY 3W
ALTO993
COLOR : DARK GREY
DIMENSION : D60*H75MM
CCT : WW
CUTOUT : 40MM



BURIAL 3WAY 3W
ALTO994
COLOR : DARK GREY
DIMENSION : D60*H75MM
CCT : WW
CUTOUT : 40MM



BURIAL 4WAY 3W
ALTO995
COLOR : DARK GREY
DIMENSION : D60*H75MM
CCT : WW
CUTOUT : 40MM



BURIAL TILT 5W
ALTO997
COLOR : SS
DIMENSION : D88*H83MM
CCT : WW
CUTOUT : 78MM



BURIAL ASYMETRIC 7W
ALTO996
COLOR : SS
DIMENSION : D88*H83MM
CCT : WW
CUTOUT : 78MM



A. PAIRING FIXTURE WITH THE REMOTE

1. Turn on the power of the desired light/lights to pair in a group.
2. Press a number from 1 to 99 (which will be the group number) once and then hold the power on button (red button) until the light/lights blink thrice.
3. Once the light/lights blink thrice, those lights are paired to that specific group number.
4. You can create upto 99 such groups, one individual group can control upto 99 luminaries.

B. SETTING THE TIMER

1. Select the desired group for which you want to set the timer by pressing the group number.
2. Press the ID button.
3. Immediately then press the desired number of minutes after which you want to turn on/off the lights. You can enter a numeric value from 1 to 99 where 1 stands for 10 minutes and 99 stands for 990 minutes.
4. Immediately then press the Timer on/off button post entering the desired minutes.
5. The light then blinks once to indicate that it has accepted the command.

NOTE :

- For instance; If you press 1 then the timer is set to 10 minutes; If you press 12 then the timer is set to 120 minutes.
- To cancel the timer follow the same steps used to set timer and enter 0 while entering the number of minutes, the timer is then cancelled.
- Only one command either to turn on or turn off can be given once, if two commands are given the second command overwrites the first one.
- Do not turn off main power once a timer command is given, if turned off the timer is cancelled.

. All prices are inclusive of GST as applicable.

. The Copyrights of all designs, drawings, specifications and information contained in this pricelist are and shall remain the property of ALT, and must not be used, copied published or divulged by any person in whole or in part without exclusive written authorization from the company.

. While the products images, specifications and other details herein are represented to the best of graphics possibility.

. ALT reserves the right to make technical and formal alterations to the products and specifications in the interest of development/improvement.

. All dimensions in millimeters (mm), Drawings are only indicative of overall dimensions, and should not be scaled.

. Stocks are subject to availability.

. Price and specifications may change without prior notice.

. Goods once sold cannot be taken back or exchanged.

. Warranty lapses immediately when modifications, repair done or disruption resolved without prior permission from ALT.

. Warranty only covers failure of LED/Driver. Warranty does not cover the normal reduction of light output and shift of light color temperature.

. ALT products have a Standard warranty of 2 years.



alights.com



[alightsofficial](#)